THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
AD	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	ECO-05-10251	28SEP05	RB	MS




FIG 1

CONTENT ARRANGEMENT

1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
2. SWITCH SHOWN IN OPEN POSITION.
3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
4. STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.

△5 STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.

△6 .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE $.300^{+.010}_{-.000}$ AT MOUNTING SURFACE.

△7 NO POSITION MARKING.

△8 NO PART NO. MARKING.

△9 STRIPPABLE TAPE SEAL, SEE FIGURE 8.

10. ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002/95/EC OF 27JAN2003 (ROHS)

△11 MATERIAL: HOUSING AND ROCKERS - POLYESTER
CONTACT & SOLDER LEAD - COPPER ALLOY

△12 FINISH: CONTACT - GOLD OVER NICKEL
SOLDER LEAD - TIN OVER NICKEL




FIG 2

5435802-1 SHOWN

HOUSING	MARKING	PROT-ECTIVE SEAL	A	NO OF POSN	PART NO
FIG 2	FIG 3A& 7	—	1.08	10	6-5435802-3
FIG 1	FIG 3B	△9	.88	8	3-5435802-8
FIG 2	△7 △8	△5	.88	8	3-5435802-0
FIG 2	△7 △8	△5	.48	4	2-5435802-9
FIG 2	FIG 3A	△5	1.28	12	2-5435802-2
FIG 2			1.18	11	2-5435802-1
FIG 2			1.08	10	2-5435802-0
FIG 2			.98	9	1-5435802-9
FIG 2			.78	7	1-5435802-8
FIG 2			.68	6	1-5435802-7
FIG 2			.58	5	1-5435802-6
FIG 2			.48	4	1-5435802-5
FIG 2		—	1.28	12	1-5435802-2
FIG 1	FIG 3B	—	.28	2	1-5435802-0
FIG 2	FIG 3A	△5	.88	8	5435802-9
FIG 2		—	1.08	10	5435802-8
FIG 2		—	.98	9	5435802-7
FIG 2		—	.78	7	5435802-6
FIG 2		—	.68	6	5435802-5
FIG 2		—	.58	5	5435802-4
FIG 2		—	.48	4	5435802-3
FIG 2	FIG 3A	—	.38	3	5435802-2
FIG 2	FIG 3A	—	.88	8	5435802-1

5435802

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± -
ANGLES ± -

MATERIAL △11

FINISH △12

DWN	R. TALLEY	19-9-89
CHK	R. MILLER	19-9-89
APVD	H. LEITER	19-9-89
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	—	

tyco Electronics
Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME
SWITCH ASSY, DIP, TYPE C,
7000 SERIES, SPST, SIDE ACTUATED
—

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-5435802	—

CUSTOMER DRAWING

SCALE	SHEET	REV
4:1	1 OF 2	A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
AD	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	–	—	—




FIG 3A




FIG 3B




FIG 4




FIG 6




FIG 7




FIG 8

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± –
1 PLC	± –
2 PLC	± –
3 PLC	± .005
4 PLC	± –
ANGLES	± –

MATERIAL: SEE SHEET 1

FINISH: SEE SHEET 1

DWN	R. TALLEY	19–9–89
CHK	R. MILLER	19–9–89
APVD	H. LEITER	19–9–89

PRODUCT SPEC: —

APPLICATION SPEC: —

WEIGHT: —

Tyco Electronics Corporation
Harrisburg, Pa 17105–3608

NAME: SWITCH ASSY, DIP, TYPE "C", 7000 SERIES, SPST, SIDE ACTUATED

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C–5435802	—

CUSTOMER DRAWING | SCALE 4:1 | SHEET 2 OF 2 | REV A

5435802

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331