

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0357306810](#)
Status: **Active**
Description: 1.30mm (.051") Diameter Pin Terminal, Brass, 0.25mm (.010") Thickness, Wire Range 20-26 AWG (0.52-0.13mm²), Pre-Tin Plated

Documents:
[Drawing \(PDF\)](#)
[Product Specification PS-35730-002 \(PDF\)](#)
[Product Specification PS-35953-001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Crimp Terminals
Series	35730
Crimp Quality Equipment	Yes
Product Name	N/A
Physical	
Gender	Male
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.30-2.60mm (.051-.102")
Wire Size AWG	20, 22, 24, 26
Wire Size mm²	N/A

Material Info

Reference - Drawing Numbers

Product Specification	PS-35730-002, PS-35953-001
Sales Drawing	SD-35730-**10




image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Halogen-Free

China RoHS



Need more information on product environmental compliance?






Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[35730Series](#)

Mates With
35730-6910

DWG. NO. SD-35730-001
SIMILAR ITEM
PROJECT NO.
DO NOT SCALE DRAWING
DIMENSION IN METRIC



ENG. NO.	MATERIAL NO.	WIRE RANG	INSUL. RANGE
35730-6810	357306810	AWG #26-#20	1.3-2.6
35730-7010	357307010	AWG #20-#16	1.9-3.4

NOTES

1. MATERIAL: BRASS , 0.25THICKNESS
2. PLATING: PRE-TIN PLATING
3. MATING TERMINAL: 35730-6910/7110
4. RECOMMENDED LENGTH OF WIRE STRIP IS 3.0-3.5

REVISED EC NO. KOR 1999-0120 DRAWN: H.-C. RHO 99.12.29 CHK: B.-K. CHOI APPR: C.-W. LEE	QUALITY SYMBOLS MAJOR CRITICAL	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 7:1	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV	
		4 PLACES	±0.	±.	DRAWN BY & DATE W. Y. YANG		TITLE: Ø1.3 PIN TERMINAL		MOLEX INCORPORATED KOREA	SHEET NO. 1 OF 1	
		3 PLACES	±0.	±.	CHECKED BY & DATE B. K. CHOI		MATERIAL NO. SEE CHART	DRAWING NO. SD-35730-001			
		2 PLACES	±0.20	±.	APPROVED BY & DATE C. W. LEE						
1 PLACE	±0.30	±.	ANGULAR: ± 1 °		CAD FILENAME E7306810				SIZE B		
B	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331