





1. MATES WITH APPROPRIATE UNIVERSAL MATE-N-LOK™ CAP OR HEADER.
2. SMALL NICKS ARE PERMITTED ON THE CIRCUIT TOWERS WHICH COULD INCREASE THE INITIAL HOUSING MATING FORCE BY UP TO 4.4 NEWTONS [1.0 LBS]. NO INDIVIDUAL NICKED TOWER SHALL INCREASE THIS FORCE BY OVER 2.2 NEWTONS [.5 LBS].

3 DIMENSION INDICATED IS AS MOLDED. ADDITIONAL GROWTH DUE TO SUBSEQUENT MOISTURE ABSORPTION MAY OCCUR.

4 FOUR RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION. OR SIX RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION, OPTIONAL.


5 UNDERWRITERS RECOGNIZED COMPONENT LOGO
AND CSA CERTIFICATION LOGO TO BE LOCATED
ONCE EACH ON SIDE OF HOUSING.

6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI




PARTIAL DETAIL A $\triangle 4$
OPTIONAL CONSTRUCTIONS





		BLACK	1-480706-9
		GRAY	1-480706-8
△ 6 SUPERCEDED BY 1-480706-0	△ 6 OBSOLETE	BLUE	1-480706-6
		GREEN	1-480706-5
		YELLOW	1-480706-4
	△ 6 OBSOLETE	ORANGE	1-480706-3
		RED	1-480706-2
		BROWN	1-480706-1
		NATURAL	1-480706-0
		COLOR	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG K. WHITAKER	01SEP04	 TE Connectivity	
		CHK S. RIDGILL	01SEP04		
		APP'D S. RIDGILL	01SEP04		
		NAME			
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PLUG, 9 CIRCUIT, UNIVERSAL MATE-N-LOK™			
	0 PLG ± — 1 PLG ± — 2 PLG ± 0.13 [0.005] 3 PLG ± — 4 PLG ± — ANGLES FINISH ± 0°30'	PRODUCT SPEC — APPLICATION SPEC			
MATERIAL NYLON, UL94V-2		SIZE	CAGE CODE	DRAWING NO	RESTRICTED
		WEIGHT	A1 00779		—
CUSTOMER DRAWING		SCALE 4:1		SHEET 1 OF 2	REV. A

METRIC



1. STAMP NUMBERS 3.18 [.125] HIGH AT WIRE END OF HOUSING (12 POINT DAVID TYPE).
2. CHARACTERS TO BE POSITIONED ON HOUSING TO BE READ FROM WIRE END ONLY.
3. VIOLET,BLACK,BROWN,AND BLUE COLORED BLOCKS TO BE STAMPED WITH WHITE CHARACTERS. ALL OTHER COLORED BLOCKS TO BE STAMPED WITH BLACK CHARACTERS.




METRIC

NATURAL	2-480706-0
COLOR	PART NUMBER



TE Connectivity

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. WHITAKER 01SEP2004	 TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK S. RIDGILL 01SEP2004		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD S. RIDGILL 01SEP2004	NAME PLUG, 9 CIRCUIT, UNIVERSAL MATE-N-LOK	
		PRODUCT SPEC APPLICATION SPEC	SIZE A1	
MATERIAL -	FINISH -	WEIGHT -	CAGE CODE 00779	DRAWING NO 480706
CUSTOMER DRAWING		SCALE 4:1		SHEET 2 OF 2
		REV AK3		



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331