





Copyright FCI

PRODUCT NUMBER
SEE TABLE





mat'l. code				surface ISO 1902	tolerance ISO 406 ISO 1101	projection	product family
ltr	ecn no	dr	date	tolerances unless otherwise specified		 INCH/MM scale 5:1	CONAN
Y	V03-1347	AA	12/20/01	angles	linear		title
AA	M04-0190	MHT	9/24/04				CONAN™ CONNECTOR ASSEMBLY
AB	M05-0110	MHT	5/26/05	0'±2'			dwg no
AC	M06-0232	AGS	06/12/06	dr	R.SEIPLE	11/13/91	sheet 1 of 7 size
AD	M06-0373	MHT	9/26/06	engr	D.HORCHLER	01/10/92	91900 A3
AE	M08-0012	AGS	1/11/08	chr	D.HORCHLER	01/10/92	type
AF	M08-0287	MHT	10/02/08	appd	D.HORCHLER	01/10/92	Product Customer Drawing
sheet	revision	AF	AF	AF	AF	AF	
index	sheet	1	2	3	4	5	6




Copyright FCI

PRODUCT NUMBER
SEE TABLE




mat'l. code				surface ISO 1902	tolerance ISO 406 ISO 1101	projection ISO 1001	product family CONAN
ltr	ecp no	dr	date	tolerances unless otherwise specified			title
AF				angles	linear	INCH/MM	CONAN™ CONNECTOR ASSEMBLY
				0°±2°	.XXX±.01/.XXX±.03 .XXX±.005/.XXX±.013 .XXX±.0020/.XXX±.0051	scale 5:1	dwg no 91900 sheet 3 of 7 size A3
				dr	R. SEIPLE 11/13/91	FCI	type Product Customer Drawing
				engr	D. HORCHLER 01/10/92		
				chr	D. HORCHLER 01/10/92		
				appd	D. HORCHLER 01/10/92		
sheet index	revision sheet						




mat'l. code				surface ISO 1902	tolerance ISO 406 ISO 1101	projection	product family CONAN
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title CONAN™ CONNECTOR ASSEMBLY
AF				angles	linear		
						scale 5:1	dwg no
				dr	R. SEIPLE 11/13/91		sheet 4 of 7 size
				engr	D. HORCHLER 01/10/92		91900 A3
				chr	D. HORCHLER 01/10/92		type Product Customer Drawing
				appd	D. HORCHLER 01/10/92		
sheet index	revision sheet						

FCI
FCIconnect.com
Copyright FCI



RECOMMENDED PAD LAYOUT



RECOMMENDED
STENCIL LAYOUT
FOR HEADER

mat'l code				surface ISO 8002 ✓		tolerance ISO 406 ISO 1001		projection 		product family CONAN			
ttr ecn no dr date				tolerances unless otherwise specified						title			
AF				angles		linear		INCH/MM 		CONAN™ CONNECTOR ASSEMBLY			
				0° ± 2'		JXX±.01 / JXX±.03 XXXXX.005 / XXXX.013 XXXXX.0000 / XXXX.005		scale 5:1		dwg no sheet 5 of 7 size A			
				dr R.SEIPLE 11/13/91		eng' D.HORCHLER 01/10/92				91900			
				D.HORCHLER 01/10/92		D.HORCHLER 01/10/92				Product Customer Drawing			
				app'd D.HORCHLER 01/10/92									
sheet index		revision sheet											

PRODUCT NUMBER	POS	DIM "A"	DIM "C"	DIM "D"	DIM "E"
919TC-WXY09	9	.366 [9.30]	.157 [4.00]	.118 [3.00]	.1990 [5.055]
↑ -WXY09LF					
-WXY11	11	.406 [10.30]	.197 [5.00]	.157 [4.00]	.2380 [6.045]
-WXY11LF					
-WXY15	15	.484 [12.30]	.276 [7.00]	.236 [6.00]	.3170 [8.052]
-WXY15LF					
-WXY21	21	.602 [15.30]	.394 [10.00]	.354 [9.00]	.4350 [11.049]
-WXY21LF					
-WXY25	25	.681 [17.30]	.472 [12.00]	.433 [11.00]	.5140 [13.056]
-WXY25LF					
-WXY31	31	.800 [20.30]	.591 [15.00]	.551 [14.00]	.6320 [16.053]
-WXY31LF					
-WXY41	41	.996 [25.30]	.787 [20.00]	.748 [19.00]	.8290 [21.057]
-WXY41LF					
-WXY51	51	1.193 [30.30]	.984 [25.00]	.945 [24.00]	1.0260 [26.060]
-WXY51LF					
-WXY69	69	1.547 [39.30]	1.339 [34.00]	1.299 [33.00]	1.3800 [35.052]
↓ -WXY69LF					

NOTES:

1. MATERIALS:

RECEPTACLE HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

RECEPTACLE TERMINALS - COPPER ALLOY, PLATED WITH 15u"/.38u GXT™ IN CONTACT AREA AND 100u"/2.54u Sn ON SOLDER LEGS WITH AN OVERALL 50u"/1.27u Ni UNDERPLATE.

HEADER HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

HEADER TERMINALS - COPPER ALLOY, PLATED WITH 15u"/.38u GXT™ IN CONTACT AREA AND 100u"/2.54u Sn ON SOLDER LEGS WITH AN OVERALL 50u"/1.27u Ni UNDERPLATE.

RETENTION DEVICE - BRASS, PLATED WITH 100u"/2.54u Sn OVER NICKEL.

2. REFERENCE GS-12-006 FOR PRODUCT PERFORMANCE DATA.

- ③ SEE TA-774 FOR FURTHER DESCRIPTION OF HOW THIS DIMENSION IS APPLIED.
- ④ PICK AND PLACE CAP OR TAPE IS ONLY AVAILABLE WITH OPTION 3 PACKAGING. (PSA ADHESIVE SEALED). ALSO, PSA PACKAGING REQUIRES A PICK AND PLACE CAP.
5. RECOMMENDED SOLDER PASTE THICKNESS IS .006 TO .008 INCHES THICK.
- ⑥ THE TOE HEIGHT OF THE SOLDER TAIL SHALL BE MEASURED FROM THE LOWEST POINT OF THE .004 CO-PLANARITY GRAVITY PLANE. THIS MEASUREMENT IS NOT TO EXCEED A WINDOW OF .000 TO .007 INCHES.
- ⑦ THREE SLOTS MAY BE LOCATED AT EITHER END OF HOUSING.
- ⑧ 5.50mm MATED HEIGHT IS ONLY AVAILABLE IN 9, 15 AND 31 POS.
- ⑨ 7.50mm MATED HEIGHT IS ONLY AVAILABLE IN 9 POS.
- ⑩ APPLIES TO 91921-3XYZZ AND 91931- 3XYZZ OPTIONS ONLY.
11. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 30 SECONDS IN A CONVECTION INFRA RED OR VAPOR PHASE REFLOW OVEN. SEE APPLICATION/PROCEDURES IF THEY ARE AVAILABLE
- ⑫ PRODUCT WITH "LF" AT THE END MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

mat'l. code				surface ISO 1902 ✓ tolerance ISO 406 ISO 1101		projection INCH/MM		product family CONAN	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
AF				angles	linear	X.XX ± .01 / X.XX ± .03 X.XX ± .005 / X.XX ± .013 X.XX ± .0020 / X.XX ± .0051		CONAN™ CONNECTOR ASSEMBLY	
				0' ± 2'		scale 5:1		dwg no	
				dr	R.SEIPLE	11/13/91			sheet 6 of 7 size
				engr	D.HORCHLER	01/10/92			A3
				chr	D.HORCHLER	01/10/92			
				appd	D.HORCHLER	01/10/92			
sheet	revision							type Product Customer Drawing	
index	sheet								

PRODUCT NUMBER
SEE TABLE

CONAN ASSEMBLY PART NUMBER

919 T C - W X Y ZZ LF

LEAD FREE OPTION
SEE NOTE 12

TYPE	T
HEADER WITH NO PEGS	0
HEADER WITH PEGS	1
RECEPTACLE WITH NO PEGS	2
RECEPTACLE WITH PEGS	3

PICK AND PLACE CAP OR TAPE (NOTE 4)	C
WITHOUT CAP OR TAPE	0
WITH CAP	1
WITH TAPE (RECEPTACLE ONLY)	2

PACKAGING	W
TUBE	2
PRESSURE SEALED TAPE & REEL	3

NOTE 4

Y	HEADER HEIGHT	RECEPTACLE HEIGHT	MATED HEIGHT +.010 -.008 [+.25] [-.20]
1	.034 [.86]	.129 [3.28]	.163 [4.15]
2	.048 [1.23]	SEE Y=1 FOR ALL RECEPTACLES	.177 [4.50]
3	.068 [1.73]		.197 [5.00]
4	.107 [2.72]		.236 [6.00]
5	.1465 [3.721]		.276 [7.00]
* 6	.088 [2.23]		.216 [5.50]
** 7	.1665 [4.229]		.296 [7.52]

* NOTE 8
* * NOTE 9

X	PLATING
1	15u"/.38u GXT™
2	30u"/.76u GXT™

ZZ	NUMBER OF POSITIONS
09	9
11	11
15	15
21	21
25	25
31	31
41	41
51	51
69	69

EXAMPLE: 91921-31125LF
IS A CONAN RECEPTACLE ASSEMBLY,
HAVING NO PEGS AND WITH A PICK AND PLACE CAP.
IT ALSO HAS GXT™ PLATING, IS .13 [3.2] HIGH AND 25
POSITIONS AND IS PACKAGED IN PRESSURE SEALED TAPE,
REEL AND LEAD FREE.

mat'l. code				surface ISO 1902	tolerance ISO 406 ISO 1101	projection INCH/MM	product family CONAN
ltr	ecn no	dr	date	tolerances unless otherwise specified			title CONAN™ CONNECTOR ASSEMBLY
AF				angles	linear		
					$\frac{.001}{.01}$ / $\frac{.001}{.01}$ $\frac{.001}{.005}$ / $\frac{.001}{.01}$ $\frac{.001}{.002}$ / $\frac{.001}{.005}$	scale 5:1	dwg no 91900
				dr	R. SEIPLE 11/13/91		sheet 7 of 7 size A3
				engr	D. HORCHLER 01/10/92		
				chr	D. HORCHLER 01/10/92		
				appd	D. HORCHLER 01/10/92		
sheet	revision						type Product Customer Drawing
index	sheet						



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331