


PRODUCT NO.	FPC	PACKAGING	COMPONENTS	LEAD FREE	PCB COLOR
10010556-002LF	10010559-002LF	10017475-02-002	ELEC. PARTS	YES	BLUE
10010556-003LF	10105325-001	10017475-02-009	N/A	YES	BLACK
10010556-004LF	10056226-002LF(FFC)	10017475-02-004	N/A	YES	BLUE
10010556-006LF	10058983-001LF	10017475-02-003	N/A	YES	BLACK
10010556-005LF	10056226-003LF(FFC)	10017475-02-004	N/A	YES	BLUE
10010556-007LF	10081578-001	10017475-02-006	N/A	YES	BLACK
10010556-008LF	10056226-004LF(FFC)	10017475-02-003	N/A	YES	BLUE
10010556-009LF	10083983-001(FFC)	10017475-02-008	N/A	YES	BLUE
10010556-010LF	10056226-005LF(FFC)	340391-202	N/A	YES	GREEN
10010556-011LF	10087561-001	10017475-02-007	N/A	YES	BLUE
10010556-012LF	10087561-002	10017475-02-007	N/A	YES	BLUE
10010556-013LF	10088568-001	10017475-02-006	N/A	YES	BLACK
10010556-014LF	10087561-004	10017475-02-004	N/A	YES	BLUE
10010556-015LF	10099689-001(FFC)	10017475-02-006	N/A	YES	BLACK
10010556-016LF	10056226-006LF(FFC)	340391-202	N/A	YES	GREEN
10010556-017LF	10056226-007LF(FFC)	340391-202	N/A	YES	GREEN
10010556-018LF	10107293-001(FFC)	10017475-02-004	N/A	YES	GREEN
10010556-019LF	10087561-005(FFC)	10017475-02-010	N/A	YES	GREEN

NOTES :

1. SMART CARD READER FOR LOWER PROFILE HEIGHT OF 3.0 mm.
2. TOTAL CIRCUIT RESISTANCE PER ONE LOOP SHALL NOT EXCEED 100 MILLIOHMS.
3. MATERIALS :
CONTACTS : COPPER ALLOY, GOLD OVER NICKEL ON CONTACT AREA.
TOP PCB : FR4.
COVER : STAINLESS STEEL.
4. ENVIRONMENT :
STORAGE TEMPERATURE : FROM -40°C TO 100°C.
OPERATION TEMPERATURE : FROM -40°C TO 85°C.




mat'l. code				surface		tolerance		projection		product family	
				ISO 1302 ✓		ISO 406 ISO 1181				95	
ltr ecn ndr date				tolerances unless otherwise specified						title	
R	N08-0136	SH	07/07/08	angles	linear	0.X±0.5			SMART CARD READER ASSEMBLY		
S	N08-0212	SH	10/06/08			0.XX±0.30					
T	N09-0224	SH	07/15/09			0.XXX±0.10					
U	N09-0306	SH	07/15/09	0±2'		0.XXX±0.10		scale NA			
V	N10-0058	SH	10/13/09	dr	A.JUANG	06/07/02			dwg no		
W	N10-0058	SH	03/03/10	engr	A.JUANG	06/07/02			sheet 1 of 21		
W	ELX-N-012726	ZK	09/30/12	chr	A.JUANG	06/07/02			size		
				appd		JENN.TSAO		06/07/02		10010556	
										A3	
										type Product Customer Drawing	
sheet index		revision sheet									

PRODUCT NO.


10010556-002LF

CONTACT SIDE

DETAIL "A"
FPC CONTACTS

SMART CARD	TERMINAL	FPC	FUNC.
C4	T4	P1	RFU
C3	T3	P2	Clock
C2	T2	P3	Reset
C1	T1	P4	Vcc
SENSOR 1	SENSOR 1	P5	SENSOR
SENSOR 2	SENSOR 2	P6	SENSOR
C5	T5	P7	Gnd
C6	T6	P8	Vpp
C7	T7	P9	I/O
C8	T8	P10	RFU

mat'l. code		surface	tolerance	projection	product family
		ISO 1302	ISO 406	ISO 1181	95
ltr ecn	no dr	date	tolerances unless otherwise specified	linear	title
W			0.X±0.5	MM	SMART CARD READER ASSEMBLY
			0.XX±0.30	scale NA	
			0.XXX±0.10		
		dr	A.JUANG	06/07/02	dwg no
		enr	A.JUANG	06/07/02	sheet 2 of 21
		chr	A.JUANG	06/07/02	size A3
		app'd	JENN.TSAO	06/07/02	10010556
sheet index	revision sheet				type Product Customer Drawing








mat'l. code				surface		tolerance		projection		product family			
				ISO 1302 ✓		ISO 406 ISO 1101				95			
ltr		ecn		nodr		date		tolerances unless otherwise specified		title			
W								angles linear $0.X \pm 0.5$ $0.XX \pm 0.30$ $0.XXX \pm 0.10$		MM scale NA		SMART CARD READER ASSEMBLY	
										dwg no		sheet 3 of 21	size
										10010556		A3	
										type		Product Customer Drawing	
sheet		revision											
index		sheet											



FCIconnect.com

Copyright FCI

PRODUCT NO
10010556-006LF



10	SENSOR 2
9	SENSOR 1
8	RFU
7	I/O
6	Vpp
5	Gnd
4	RFU
3	Clock
2	Reset
1	Vcc
PIN NO.	ASSIGNMENT


mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nldr date	tolerances	unless otherwise specified	linear	title
W	angles	0.X±0.5	MM	SMART CARD READER ASSEMBLY
	0±2°	0.XX±0.30	scale NA	
	dr	A.JUANG	06/07/02	dwg no
	enr	A.JUANG	06/07/02	sheet 6 of 21
	chr	A.JUANG	06/07/02	size
	app	JENN.TSAO	06/07/02	A3
sheet index	revision sheet			type Product Customer Drawing




FCIconnect.com

Copyright FCI

PRODUCT NO
10010556-006LF



RECOMMENDED PCB LAYOUT
(PCB THICKNESS: 1.2 mm)
(MOUNTING SIDE)



- NOTES:
- MATERIAL:
METAL SHELL: STAINLESS STEEL, T=0.40mm
PCB: FR-4, T=0.80mm
TERMINAL: PHOSPHOR BRONZE.
PLATING SPEC AS BELOW:
ALL OVER NICKEL UNDERPLATING
GOLD PLATING ON CONTACT SURFACE.
MATTE TIN PLATING ON SOLDER TAIL.
FLEX CIRCUIT CABLE(FPC):
PLATING SPEC AS BELOW:
CONTACT SURFACE: GOLD FLASH PLATING.
SOLDER TAIL: PURE TIN PLATING.
 - CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
 - REFERENCE SPECIFICATION:
PRODUCT SPEC. GS-12-231
PACKING SPEC. GS-14-829


mat'l. code				surface		tolerance		projection		product family	
				ISO 1302 ✓		ISO 406 ISO 1101				95	
l	tr	ec	n	o	d	r	date		tolerances unless otherwise specified		
W				angles		linear				SMART CARD READER ASSEMBLY	
						0.X±0.5					
						0.XX±0.30					
				0±2°		0.XXX±0.10		scale NA			
				dr		A.JUANG		06/07/02			
				enr		A.JUANG		06/07/02			
				chr		A.JUANG		06/07/02			
				appd		JENN.TSAO		06/07/02		dwg no	
										sheet 7 of 21	
										size	
										10010556	
										A3	
										type Product Customer Drawing	
sheet		revision									
Index		sheet									




Copyright FCI

D

PRODUCT NO
10010556-005LF








- NOTES:
- Material:
METAL SHELL: STAINLESS STEEL, T=0.20mm
PCB: FR-4, T=0.80mm
TERMINAL: PHOSPHOR BRONZE.
PLATING SPEC AS BELOW:
ALL OVER NICKEL UNDERPLATING
GOLD PLATING ON CONTACT SURFACE.
MATTE TIN PLATING ON SOLDER TAIL.
FLEXIBLE FLAT CABLE: TOTAL LENGTH=103.5±2mm
PLATING SPEC AS BELOW:
CONTACT SURFACE: TIN PLATING.
SOLDER TAIL: TIN PLATING.
 - CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
 - REFERENCE SPECIFICATION:
PRODUCT SPEC. GS 12-231
PACKING SPEC. GS 14-829
 - ④ THE AREA IS PROHIBITED TO PASTE THE MYLAR AND LABEL.



10	RFU
9	I/O
8	Vpp
7	GND
6	Sensor 2
5	Sensor 1
4	Vcc
3	Reset
2	Clock
1	RFU
PIN NO.	ASSIGNMENT

mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nodr date	tolerances unless otherwise specified	linear	MM	title
W	angles	0.X±0.5		SMART CARD READER ASSEMBLY
	0±2'	0.XX±0.30	scale NA	
	dr	A.JUANG	06/07/02	dwg no
	enr	A.JUANG	06/07/02	sheet 8 of 21
	chr	A.JUANG	06/07/02	size A3
	appd	JENN.TSAO	06/07/02	type Product Customer Drawing
sheet index	revision sheet			




PRODUCT NO
10010556-008LF



10	RFU
9	I/O
8	Vpp
7	GND
6	Sensor 2
5	Sensor 1
4	Vcc
3	Reset
2	Clock
1	RFU
PIN NO.	ASSIGNMENT


- NOTES:
1. Material:
METAL SHELL: STAINLESS STEEL, T=0.20mm
PCB: FR-4, T=0.80mm
TERMINAL: PHOSPHOR BRONZE.
PLATING SPEC AS BELOW:
ALL OVER NICKEL UNDERPLATING
GOLD PLATING ON CONTACT SURFACE.
MATTE TIN PLATING ON SOLDER TAIL.
FLEXIBLE FLAT CABLE: TOTAL LENGTH=33.5±1mm
PLATING SPEC AS BELOW:
CONTACT SURFACE: TIN PLATING.
SOLDER TAIL: TIN PLATING.
2. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
3. REFERENCE SPECIFICATION:
PRODUCT SPEC. GS 12-231
PACKING SPEC. GS 14-829
④ THE AREA IS PROHIBITED TO PASTE THE MYLAR AND LABEL.

mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nodr	date	tolerances unless otherwise specified	title	
W		angles	linear	SMART CARD READER ASSEMBLY
		0±2'	0.X±0.5	
			0.XX±0.30	
			0.XXX±0.10	
	dr	A.JUANG	06/07/02	dwg no
	enr	A.JUANG	06/07/02	sheet 9 of 21
	chr	A.JUANG	06/07/02	size A3
	appd	JENN.TSAO	06/07/02	type Product Customer Drawing
sheet index	revision sheet			



10	SENSOR 2
9	SENSOR 1
8	RFU
7	I/O
6	VPP
5	GND
4	RFU
3	CLOCK
2	RESET
1	VCC
PIN NO.	ASSIGNMENT


mat'l. code				surface		tolerance		projection		product family	
				ISO 1302 ✓		ISO 406 ISO 1101				95	
ltr	ecn	nodr	date	tolerances unless otherwise specified				title			
W				angles	linear	$0.X \pm 0.5$ $0.XX \pm 0.30$ $0.XXX \pm 0.10$		 MM		SMART CARD READER ASSEMBLY	
				0±2'				scale NA			
				dr	A.JUANG	06/07/02				dwg no	
				engr	A.JUANG	06/07/02				sheet 10 of 21	
				chr	A.JUANG	06/07/02				10010556	
				appd	JENN.TSAO	06/07/02				A3	
sheet index				revision sheet				type Product Customer Drawing			



NOTES:


1. Material: METAL SHELL: STAINLESS STEEL, T=0.20mm
PCB: FR-4, T=0.80mm
TERMINAL: COPPER ALLOY.
PLATING SPEC AS BELOW:
ALL OVER NICKEL UNDERPLATING
GOLD PLATING ON CONTACT SURFACE.
MATTE TIN PLATING ON SOLDER TAIL.
FLEXIBLE FLAT CABLE: TOTAL LENGTH=33.5±1mm
PLATING SPEC AS BELOW:
CONTACT SURFACE: TIN PLATING.
SOLDER TAIL: TIN PLATING.
2. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD

ADHESIVE AREA
(STICKED BETWEEN
INTERNAL SURFACES)




—SEE DETAIL B

DETAIL B
SCALE 2,000


CHECK
LINE

PIN


DETAIL A
SCALE 2.000



ADHESIVE AREA—
(STICKED BETWEEN
INTERNAL SURFACES)




SCALE 0.350





10	RFU4	C4
9	CLOCK	C3
8	RESET	C2
7	VCC	C1
6	Sensor 2	
5	Sensor 1	
4	GND	C5
3	VPP	C6
2	I/O	C7
1	RFU8	C8
PIN NO.	ASSIGNMENT	PIN NO.DEFINE BY ISO-7816

mat'l. code			surface		tolerance		projection		product family		
			ISO 1302 ✓		ISO 406 ISO 1101				95		
ltr	ecn	nodr	date		tolerances unless otherwise specified		title				
W					angles	0.X±0.5			SMART CARD READER ASSEMBLY		
				linear	0.XX±0.30						
				0±2'	0.XXX±0.10	scale NA					
			dr	A.JUANG	06/07/02			dwg no		sheet 11 of 21	size
			enr	A.JUANG	06/07/02			10010556		A3	
			chr	A.JUANG	06/07/02						
			appd	JENN.TSAO	06/07/02						
sheet		revision						type		Product Customer Drawing	
index		sheet									

PART NUMBER
10010556-010LF



- NOTE:
- Material:
METAL SHELL: STAINLESS STEEL
BRACKET: STEEL
GUIDE BLOCK: THERMOPLASTIC, UL94V-0.
PCB: FR-4, T=0.80mm, UL94V-0.
FFC: POLYESTER, UL20624.
PLATING SPEC AS BELOW:
CONTACT SIDE PLATING: GOLD.
SOLDER SIDE PLATING: Pure Tin.
TERMINAL: COPPER ALLOY.
PLATING SPEC AS BELOW:
UNDERPLATING: NICKEL.
CONTACT PLATING: GOLD.
SOLDER TAIL: Pure TIN.
 - CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
 - REFERENCE SPECIFICATION:
PRODUCT SPEC.: GS-12-231.
PACKING SPEC.: GS-14-829.



10	VCC	C1
9	Reset	C2
8	Clock	C3
7	RFU4	C4
6	Gnd	C5
5	VPP	C6
4	I/O	C7
3	RFU8	C8
2	SENSOR 2	
1	SENSOR 1	
PIN NO.	ASSIGNMENT	PIN NO. DEFINED BY ISO-7816


mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nldr date	tolerances unless otherwise specified			
W	angles	0.X±0.5	MM	SMART CARD READER ASSEMBLY
	linear	0.XX±0.30		
	0±2°	0.XXX±0.10	scale NA	
dr	A.JUANG	06/07/02		dwg no
enr	A.JUANG	06/07/02		sheet 2 of 21
chr	A.JUANG	06/07/02		size A3
appd	JENN.TSAO	06/07/02		type Product Customer Drawing
sheet index	revision sheet			



FCIconnect.com


Copyright FCI

PRODUCT NO
10010556-012LF



- NOTES:
- Material:
METAL SHELL: STAINLESS STEEL, T=0.20mm
PCB: FR-4, T=0.80mm
TERMINAL: PHOSPHOR BRONZE.
PLATING SPEC AS BELOW:
ALL OVER NICKEL UNDERPLATING
GOLD PLATING ON CONTACT SURFACE.
MATTE TIN PLATING ON SOLDER TAIL.

FPC PLATING SPEC AS BELOW:
CONTACT SURFACE: GOLD FLASH.
SOLDER TAIL: TIN PLATING.
 - CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
 - REFERENCE SPECIFICATION:
PRODUCT SPEC. GS 12-231
PACKING SPEC. GS 14-829
 - THE AREA IS PROHIBITED TO PASTE THE MYLAR AND LABEL.



10	RFU	10
9	I/O	9
8	Vpp	8
7	GND	7
6	Sensor 2	6
5	Sensor 1	5
4	Vcc	4
3	Reset	3
2	Clock	2
1	RFU	1
Terminal	ASSIGNMENT	FPC







mat'l. code				surface		tolerance		projection		product family	
				ISO 1302 ✓		ISO 406 ISO 1101				95	
ltr		ecn nodr		date		tolerances unless otherwise specified				title	
W						angles		0.X±0.5		SMART CARD READER ASSEMBLY	
						linear		0.XX±0.30			
						0±2°		0.XXX±0.10			
								MM			
								scale NA			
						dr		A.JUANG		06/07/02	
						enr		A.JUANG		06/07/02	
						chr		A.JUANG		06/07/02	
						appd		JENN.TSAO		06/07/02	
sheet		revision									
index		sheet									
								</			



FCIconnect.com

Copyright FCI

PRODUCT NO	FPC
10010556-014LF	10086571-004



DETAIL A

P10	RFU	10
P8	Vpp	9
P9	I/O	8
P7	GND	7
P5	Sensor 1	6
P4	Vcc	5
P3	Reset	4
P6	Sensor 2	3
P2	Clock	2
P1	RFU	1
Terminal	ASSIGNMENT	FPC



- NOTES:
- Material:
 - METAL SHELL: STAINLESS STEEL, T=0.20mm
 - PCB: FR-4, T=0.80mm
 - TERMINAL: PHOSPHOR BRONZE.
 - PLATING SPEC AS BELOW:
 - ALL OVER NICKEL UNDERPLATING
 - GOLD PLATING ON CONTACT SURFACE.
 - MATTE TIN PLATING ON SOLDER TAIL.
 - FPC PLATING SPEC AS BELOW:
 - CONTACT SURFACE: GOLD FLASH.
 - SOLDER TAIL: TIN PLATING.
 - CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
 - REFERENCE SPECIFICATION:
 - PRODUCT SPEC. GS 12-231
 - PACKING SPEC. GS 14-829
 - THE AREA IS PROHIBITED TO PASTE THE MYLAR AND LABEL.
 - ALL PART SAME AS 10010556-011LF, EXCEPT FPC

mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nodr	date	tolerances unless otherwise specified	linear	title
W		0.X±0.5	MM	SMART CARD READER ASSEMBLY
		0.XX±0.30		
		0.XXX±0.10	scale NA	
dr	A.JUANG	06/07/02		dwg no
enr	A.JUANG	06/07/02		sheet 6 of 21
chr	A.JUANG	06/07/02		size
appd	JENN.TSAO	06/07/02		A3
sheet	revision			type Product Customer Drawing
index	sheet			



FCIconnect.com

Copyright FCI

PART NUMBER
10010556-015LF

NOTES:

1. Material:

METAL SHELL: STAINLESS STEEL, T=0.30mm
GUIDE BLOCK: THERMOPLASTIC, UL94V-0.
PCB: FR-4, T=0.80mm, UL94V-0.
FFC: POLYESTER, T=0.30mm, UL20624, NO PRINTING.
PLATING SPEC AS BELOW:
CONTACT SIDE PLATING: Au 3 uin. Min.
SOLDER SIDE PLATING: Matte Tin 100 uin Min.
TERMINAL: PHOSPHOR BRONZE.

PLATING SPEC AS BELOW:
UNDERPLATING: Ni 50 uin Min.
CONTACT PLATING: Au 30 uin Min.
SOLDER TAIL: Matte TIN 75 uin Min.

2. LEAD FREE AND ROHS COMPLIANT PRODUCT.

3. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD.

4. REFERENCE SPECIFICATION:

PRODUCT SPEC: GS-12-231.

PACKING SPEC: GS-14-829.

10	SENSOR 2
9	SENSOR 1
8	RFU8
7	I/O
6	VPP
5	GND
4	RFU4
3	CLOCK
2	RESET
1	VCC
PIN NO.	ASSIGNMENT

mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ISO 1181	95
ltr ecn nodr date	tolerances	unless otherwise specified	title	
W	angles	0.X±0.5	MM	SMART CARD READER ASSEMBLY
	linear	0.XX±0.30		
	0±2°	0.XXX±0.10	scale NA	
dr	A.JUANG	06/07/02		
enr	A.JUANG	06/07/02		
chr	A.JUANG	06/07/02		
appd	JENN.TSAO	06/07/02		
sheet index	revision sheet			


dwg no	sheet of	size
10010556	7 of 21	A3
type	Product Customer Drawing	



FCIconnect.com

Copyright FCI

PRODUCT NO.
10010556-016LF






NOTES:

1. Material:

METAL SHELL: STAINLESS STEEL
BRACKET: STEEL
GUIDE BLOCK: THERMOPLASTIC, UL94V-0.
PCB: FR-4, T=0.80mm, UL94V-0.
FFC: POLYESTER, UL20624.
PLATING SPEC AS BELOW:
CONTACT SIDE PLATING: GOLD.
SOLDER SIDE PLATING: Pure Tin.
TERMINAL: COPPER ALLOY.

PLATING SPEC AS BELOW:
UNDERPLATING: NICKEL.
CONTACT PLATING: GOLD.
SOLDER TAIL: Pure TIN.


2. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
3. REFERENCE SPECIFICATION:
PRODUCT SPEC: GS-12-231.
PACKING SPEC: GS-14-829.






10	VCC	C1
9	RESET	C2
8	CLOCK	C3
7	RFU 4	C4
6	GND	C5
5	VPP	C6
4	I/O	C7
3	RFU 8	C8
2	SENSOR 2	
1	SENSOR 1	
PIN NO.	ASSIGNMENT	PIN NO. DEFINED BY ISO-7816

mat'l. code		surface	tolerance	projection	product family
		ISO 1302	ISO 406	ISO 1101	95
l	tr	ec	n	o	d
date	tolerances unless otherwise specified		title		
W		angles	linear	MM	SMART CARD READER ASSEMBLY
		0±2°	0.X±0.5		
			0.XX±0.30		
			0.XXX±0.10	scale NA	
	dr	A.JUANG	06/07/02	FCI	
	enr	A.JUANG	06/07/02		
	chr	A.JUANG	06/07/02		
	app	JENN.TSAO	06/07/02		
sheet	revision			dwg no	sheet 8 of 21
index	sheet			10010556	A3
				type Product Customer Drawing	

PRODUCT NO.
10010556-017LF



4.45
REF.



NOTES:

1. Material:

METAL SHELL: STAINLESS STEEL
BRACKET: STEEL
GUIDE BLOCK: THERMOPLASTIC, UL94V-0.
PCB: FR-4, T=0.80mm, UL94V-0.
FFC: POLYESTER, UL20624.
PLATING SPEC AS BELOW:
CONTACT SIDE PLATING: GOLD FLASH 0.076um MIN.
SOLDER SIDE PLATING: MATTE Tin.
TERMINAL: COPPER ALLOY.

PLATING SPEC AS BELOW:

UNDERPLATING: NICKEL.
CONTACT PLATING: GOLD 0.76um MIN.
SOLDER TAIL: MATTE TIN.

2. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD
3. REFERENCE SPECIFICATION:
PRODUCT SPEC: GS-12-231.
PACKING SPEC: GS-14-829.

10	VCC	C1
9	RESET	C2
8	CLOCK	C3
7	RFU 4	C4
6	GND	C5
5	VPP	C6
4	I/O	C7
3	RFU 8	C8
2	SENSOR 2	
1	SENSOR 1	
PIN NO.	ASSIGNMENT	PIN NO. DEFINED BY ISO-7816

mat'l. code	surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection ISO 1101	product family 95
ltr ecn nldr date	tolerances unless otherwise specified	angles linear	MM	title SMART CARD READER ASSEMBLY
W	0±2°	0.X±0.5 0.XX±0.30 0.XXX±0.10	scale NA	dwg no 10010556
dr	A.JUANG	06/07/02		sheet 19 of 21
enr	A.JUANG	06/07/02		size A3
chr	A.JUANG	06/07/02		
appd	JENN.TSAO	06/07/02		type Product Customer Drawing
sheet index	revision sheet			

PRODUCT NO
10010556-018LF

SEE DETAIL A

FFC

2.50

0.20
(SHIELD THICKNESS)

2.10

75.00

5.40

85.60
(SMART CARD LENGTH)

(53.98)
(SMART CARD WIDTH)

(28.00)

DETAIL C
SCALE 2.000

DETAIL B
SCALE 2.000

NOTE:

1. Material:

METAL SHELL: STAINLESS STEEL, T=0.20mm

PCB: FR-4, T=0.80mm

TERMINAL: PHOSPHOR BRONZE

PLATING SPEC AS BELOW:

ALL OVER NICKEL UNDERPLATING

GOLD PLATING ON CONTACT SURFACE.

MATTE TIN PLATING ON SOLDER TAIL.

FLEXIBLE FLAT CABLE: TOTAL LENGTH=124±2mm

PLATING SPEC AS BELOW:

CONTACT SURFACE: TIN PLATING.


SOLDER TAIL: TIN PLATING.

2. CARD DETECTION SWITCH NORMALLY OPEN WITHOUT MATING CARD


3. REFERENCE SPECIFICATION:

PRODUCT SPEC. GS 12-231


PACKING SPEC. GS 14-829



DETAIL A
SCALE 2.000




SMART CARD READER
P/N: 10010556



10	RFU
9	I/O
8	Vpp
7	GND
6	Sensor 2
5	Sensor 1
4	Vcc
3	Reset
2	Clock
1	RFU
PIN NO.	ASSIGNMENT

mat'l. code			surface		tolerance		projection		product family				
			ISO 1302 ✓		ISO 406 ISO 1181				95				
l	tr	ec	n	d	r	date			tolerances unless otherwise specified				
W							title						
			angles		0.X±0.5				SMART CARD READER ASSEMBLY				
			linear		0.XX±0.30								
			0±2°		0.XXX±0.10		scale NA						
			dr		A.JUANG		06/07/02		dwg no		sheet 20 of 21	size	
			enr		A.JUANG		06/07/02				10010556		A3
			chr		A.JUANG		06/07/02						
			appd		JENN.TSAO		06/07/02				type		Product Customer Drawing
sheet		revision											
index		sheet											



mat'l. code				surface		tolerance		projection		product family					
				ISO 1302 ✓		ISO 406 ISO 1101				95					
ltr ecn nodr date				tolerances unless otherwise specified								title			
W				angles		0.X±0.5				SMART CARD READER ASSEMBLY					
				linear		0.XX±0.30									
				0±2'		0.XXX±0.10		scale NA							
				dr		A.JUANG		06/07/02		dwg no		sheet 21 of 21		size	
				enr		A.JUANG		06/07/02				10010556		A3	
				chr		A.JUANG		06/07/02							
				appd		JENN.TSAO		06/07/02							
sheet index		revision sheet								type		Product Customer Drawing			

4 PDS: Rev :W STATUS5 Released Printed: Feb 04, 2013



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331