






NOTES:

1. MATERIAL: SEE TABLE.
2. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
3. ROHS COMPLIANT.



6 XX SCREW, #6-32X.250, PANHD, PHIL-SLOT W/W (OPT -50)			STEEL	ZN, CLEAR CHROMATE	RELEASED EC NO: IPG2012-0187 DRWN: JENCINAS 2011/12/13 CHKD: JMACNEIL 2011/12/14 APPR: JMACNEIL 2012/03/12 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
5 XX SCREW, #6-32X.250, BHD, PHIL-SLOT (OPT -49)			BRASS	NICKEL PLATE			mm	INCH	DRAWN BY	DATE	TITLE	9.53/.375" SR BTS, PC MOUTING END ASSY.	SHEET NO.	
4 XX SCREW, #6-32X.250, BHD, PHIL-SLOT (STD)			STEEL	ZN, CLEAR CHROMATE			4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	JENCINAS	2011/12/13				
3 XX TERMINAL, PCKT			BRASS	TIN PLATE			2 PLACES ± 0.13 ± .01	1 PLACE ± 0.3 ± ---	CHECKED BY	DATE				
2 2 MOUNTING PLATE			BRASS	NICKEL PLATE			ANGULAR ± 2 °		JMACNEIL	2012/03/12	MOLEX INCORPORATED		SD-38710-007	
1 1 INSULATOR, SR BTS PCKT			POLYESTER (PBT)	BLACK			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DATE	DOCUMENT NO.			
ITEM QTY. DESCRIPTION			MATERIAL	FINISH			A	B	SEE SHEET 2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		1 OF 2	

1b_frame_B_P_ME_T

Rev. E 2006/04/15

9

8

7

6

5

4

3

2

1

10 9 8 7 6 5 4 3 2 38710

NO. OF CIRCUITS	DIM. "A"		DIM. "B"		DIM. "C"		ASSEMBLY MATERIAL NO. (STD)	ASSEMBLY MATERIAL NO. (-49 OPT)	ASSEMBLY MATERIAL NO. (-50 OPT)
	mm	in	mm	in	mm	in			
02	40.1	1.58	28.6	1.13	21.1	0.83	387106202	387106802	387107402
03	49.7	1.96	38.1	1.50	30.6	1.21	387106203	387106803	387107403
04	59.2	2.33	47.6	1.88	40.1	1.58	387106204	387106804	387107404
05	68.7	2.71	57.1	2.25	49.7	1.96	387106205	387106805	387107405
06	78.2	3.08	66.6	2.63	59.2	2.33	387106206	387106806	387107406
07	87.8	3.46	76.2	3.00	68.7	2.71	387106207	387106807	387107407
08	97.3	3.83	85.7	3.38	78.2	3.08	387106208	387106808	387107408
09	106.8	4.21	95.2	3.75	87.8	3.46	387106209	387106809	387107409
10	116.3	4.58	104.8	4.13	97.3	3.83	387106210	387106810	387107410
11	125.9	4.96	114.3	4.50	106.8	4.21	387106211	387106811	387107411
12	135.4	5.33	123.8	4.88	116.3	4.58	387106212	387106812	387107412
13	144.9	5.71	133.3	5.25	125.9	4.96	387106213	387106813	387107413
14	154.4	6.08	142.9	5.63	135.4	5.33	387106214	387106814	387107414
15	164.0	6.46	152.4	6.00	144.9	5.71	387106215	387106815	387107415
16	173.5	6.83	161.9	6.38	154.4	6.08	387106216	387106816	387107416
17	183.0	7.21	171.4	6.75	164.0	6.46	387106217	387106817	387107417
18	192.5	7.58	181.0	7.13	173.5	6.83	387106218	387106818	387107418
19	202.1	7.96	190.5	7.50	183.0	7.21	387106219	387106819	387107419
20	211.6	8.33	200.0	7.88	192.5	7.58	387106220	387106820	387107420
21	221.1	8.71	209.5	8.25	202.1	7.96	387106221	387106821	387107421
22	230.6	9.08	219.1	8.63	211.6	8.33	387106222	387106822	387107422
23	240.2	9.46	228.6	9.00	221.1	8.71	387106223	387106823	387107423
24	249.7	9.83	238.1	9.38	230.6	9.08	387106224	387106824	387107424
25	259.2	10.21	247.6	9.75	240.2	9.46	387106225	387106825	387107425
26	268.7	10.58	257.2	10.13	249.7	9.83	387106226	387106826	387107426

SEE SHEET ONE EC NO: IPG2012-0187 DRAWN: JENCINAS 2011/12/13 CHKD: JMACNEIL 2011/12/14 APPR: JMACNEIL 2012/03/12 A	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
			4 PLACES 3 PLACES 2 PLACES 1 PLACE	± ---	± ---	DRAWN BY JENCINAS	DATE 2011/12/13	TITLE 9.53/.375" SR BTS, PC MOUTING END ASSY.	
				± ---	± .005	CHECKED BY JMACNEIL	DATE 2011/12/14		
				± 0.13	± .01	APPROVED BY JMACNEIL	DATE 2012/03/12		
				± 0.3	± ---	MATERIAL NO.	DOCUMENT NO.		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		MOLEX INCORPORATED SD-38710-007				
			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
							SHEET NO. 2 OF 2		

9 8 7 6 5 4 3 2 1



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331