




TOP VIEW



SECTION Z-Z

NOTES:

1. MATERIAL -
CONNECTOR HOUSING - GLASS FILLED LCP, 94V-0, BLACK
OVERMOLDING ON TERMINALS: GLASS FILLED LCP, 94V-0, BLACK
TERMINALS: COPPER ALLOY, SPRING TEMPER
2. TERMINAL FINISH:
CONTACT AREA: .75μm HARD GOLD OVER 3.8μm MIN NICKEL.
COMPLIANT AREA: .75-1.50μm TIN OVER .75μm - 1.50μm NICKEL.
3. FOR CIRCUIT SIZES GREATER THAN 170, A CENTER ALIGNMENT KEY WILL BE USED.
4. REFER TO PS-76291-001 PRODUCT SPEC FOR ALL ELECTRICAL, MECHANICAL, AND ENVIRONMENTAL SPECIFICATIONS.
5. REFER TO PK-76291-001 FOR ALL PACKAGING SPECIFICATIONS.
6. REFER TO AS-76291-001 FOR BOARD APPLICATION INFORMATION.
7. MODULE BOARD CONTACT PAD PLATING TO BE .76μm MIN HARD GOLD OVER 2.54μm MIN NICKEL
8. MODULE BOARD CONTACT PAD SURFACE ROUGHNESS NOT TO EXCEED Ra 0.2μm.
9. PART TO BE LASER MARKED WITH PART NUMBER, WHERE XXX IS THE CIRCUIT SIZE OR POWER WAFER OPTION, MANUFACTURING FACILITY, AND DATE CODE IN THE FORMATE OF THE WEEK AND LAST 2 DIGITS OF THE YEAR: WWYY

LEADFREE CONVERTER:
EC NO: UCP2013-2374
2012/11/15
DRWN:MP0FF
CHKD:MM0LFE
2012/11/15
APPR:SMILLER
2013/01/04

QUALITY SYMBOLS
▽=0
▽=0
▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± 0.13 ± ---
1 PLACE ± 0.25 ± ---
0 PLACE ± --- ± ---
ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY DATE
CHECKED BY DATE
APPROVED BY DATE
MBANAKIS 2010/11/17
MATERIAL NO.
SEE TABLE
SIZE C

SCALE
4:1
DESIGN UNITS
METRIC
THIRD ANGLE PROJECTION
COPLANAR CONNECTOR
GENERAL SALES DRAWING
molex
DOCUMENT NO.
SD-76291-001
SHEET NO.
1 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



PART NUMBER										
TIN	TIN PREVIOUSLY TIN/LEAD	STATUS	CKTS	DIM A	DIM B	DIM C	DIM D	PW POS	DIM E	
762910008	762911008	NOT TOOLED	8	8.19	4.40	5.65	4.25	-	10.84	
762910014	762911014	NOT TOOLED	14	10.44	6.65	7.90	6.50	-	10.84	
762910020	762911020	NOT TOOLED	20	12.69	8.90	10.15	8.75	-	10.84	
762910026	762911026	NOT TOOLED	26	14.94	11.15	12.40	11.00	-	10.84	
762910032	762911032	NOT TOOLED	32	17.19	13.40	14.65	13.25	-	10.84	
762910038	762911038		38	19.44	15.60	16.90	15.50	-	10.84	
762910044	762911044	NOT TOOLED	44	21.69	17.90	19.15	17.75	-	10.84	
762910050	762911050	NOT TOOLED	50	23.94	20.15	21.40	20.00	-	10.84	
762910056	762911056	NOT TOOLED	56	26.19	22.40	23.65	22.25	-	10.84	
762910062	762911062	NOT TOOLED	62	28.44	24.65	25.90	24.50	-	10.84	
762910068	762911068		68	30.69	26.90	28.15	26.75	-	10.84	
762910074	762911074	NOT TOOLED	74	32.94	29.15	30.40	29.00	-	10.84	
762910080	762911080	NOT TOOLED	80	35.19	31.40	32.65	31.25	-	10.84	
762910086	762911086	NOT TOOLED	86	37.44	33.65	34.90	33.50	-	10.84	
762910092	762911092	NOT TOOLED	92	39.69	35.90	37.15	35.75	-	10.84	
762910098	762911098	NOT TOOLED	98	41.94	38.15	39.40	38.00	-	10.84	
762910104	762911104	NOT TOOLED	104	44.19	40.40	41.65	40.25	-	10.84	
762910110	762911110	NOT TOOLED	110	46.44	42.65	43.90	42.50	-	10.84	
762910116	762911116	NOT TOOLED	116	48.69	44.90	46.15	44.75	-	10.84	
762910122	762911122	NOT TOOLED	122	50.94	47.15	48.40	47.00	-	10.84	
762910128	762911128	NOT TOOLED	128	53.19	49.40	50.65	49.25	-	10.84	
762910134	762911134	NOT TOOLED	134	55.44	51.65	52.90	51.50	-	10.84	
762910140	762911140		140	57.69	53.90	55.15	53.75	-	10.84	
762910146	762911146	NOT TOOLED	146	59.94	56.15	57.40	56.00	-	10.84	
762910152	762911152	NOT TOOLED	152	62.19	58.40	59.65	58.25	-	10.84	
762910158	762911158	NOT TOOLED	158	64.44	60.65	61.90	60.50	-	10.84	
762910164	762911164	NOT TOOLED	164	66.69	62.90	64.15	62.75	-	10.84	
762910170	762911170		170	68.94	65.15	66.40	65.00	-	10.84	
762910171	762911171		170	68.94	65.15	66.40	65.00	2	10.84	
762910172	762911172		170	68.94	65.15	66.40	65.00	28	10.84	
762910178	762911078	NOT TOOLED	178	73.44	69.65	70.90	69.50	-	10.84	
762910184	762911184	NOT TOOLED	184	75.69	71.90	73.15	71.75	-	10.84	
762910190	762911190	NOT TOOLED	190	77.94	74.15	75.40	74.00	-	10.84	
762910196	762911196	NOT TOOLED	196	80.19	76.40	77.65	76.25	-	10.84	
762910202	762911202	NOT TOOLED	202	82.44	78.65	79.90	78.50	-	10.84	
762910208	762911208	NOT TOOLED	208	84.69	80.90	82.15	80.75	-	10.84	
762910214	762911214	NOT TOOLED	214	86.94	83.15	84.40	83.00	-	10.84	
762910220	762911220	NOT TOOLED	220	89.19	85.40	86.65	85.25	-	10.84	
762910226	762911226		226	91.44	87.65	88.90	87.50	-	10.84	
762912226	762913226		226	91.44	87.65	88.90	87.50	-	9.92	
762910232	762911232	NOT TOOLED	232	93.69	89.90	91.15	89.75	-	10.84	
762910238	762911238	NOT TOOLED	238	95.94	92.15	93.40	92.00	-	10.84	
762910244	762911244	NOT TOOLED	244	98.19	94.40	95.65	94.25	-	10.84	
762910250	762911250		250	100.44	96.65	97.90	96.50	-	10.84	

POSITIONS FOR
SINGULATED
GROUND WAFERS




FINISHED PLATED
THRU HOLE SIZE
.57mm DRILLED
HOLE. 0254-.0635
ELECTRO DEPOSITED
COPPER

DETAIL1
SCALE 8:1





MODULE CARD
TOP SIDE

INSERTION
DIRECTION



SEE SHEET 1 EC NO: UCP2013-2374 2012/11/15 DRWN:PMOFF CHKD:MMOLFE 2012/11/15 APPR:SMILLER 2013/01/04	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY	DATE	TITLE COPLANAR CONNECTOR GENERAL SALES DRAWING					
						CHECKED BY	DATE						
			▽=0	4 PLACES	± ---	± ---	APPROVED BY	DATE	molex				
			▽=0	3 PLACES	± ---	± ---	MBANAKIS	2010/11/17					
			▽=0	2 PLACES	± 0.13	± ---	MATERIAL NO.	SEE TABLE					
				1 PLACE	± 0.25	± ---							
		0 PLACE	± ---	± ---									
		ANGULAR ±1/2°											
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



76291-0140


NOTES ON CIRCUIT DESIGNATIONS

1. CIRCUIT 1 STARTS AT LOWER RIGHT HAND CORNER AND INCREASES TO THE LEFT ACROSS THE BOTTOM AND INCREASES TO THE RIGHT ACROSS THE TOP.
2. THERE IS NOT A 1:1 CORRESPONDENCE BETWEEN THE CIRCUIT NUMBER AND THE TAIL HOLE LOCATIONS. EACH GROUND HAS TWO CONTACTS AND THREE TAILS. THE BOXES AROUND THE THREE VERTICAL HOLES INDICATE THE UPPER AND LOWER GROUND CONTACTS SHARE THE THREE TAIL HOLE LOCATIONS.


SEE SHEET 1 EC NO: UCP2013-2374 DRAWN: POF 2012/11/15 CHKD: MWL 2012/11/15 APPR: SMILLER 2013/01/04	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		▽=0 ▽=0 ▽=0	mm	INCH	DRAWN BY	DATE	TITLE COPLANAR CONNECTOR GENERAL SALES DRAWING		molex	
			4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	CHECKED BY	DATE				
			2 PLACES ± 0.13 ± ---	1 PLACE ± 0.25 ± ---	0 PLACE ± --- ± ---	APPROVED BY MBANAKIS	DATE 2010/11/17	DOCUMENT NO. SD-76291-001		SHEET NO. 3 OF 4
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			ANGULAR ±1/2°		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

13 12 11 10 9 8 7 6 5 4 3 2 1


J I H G F E D C B A



76291-0170



76291-0226



76291-0250

SEE SHEET 1 EC NO: UCP2013-2374 P DRWN:MP0FF 2012/11/15 CHKD:MMOLFE 2012/11/15 APPR:SMILLER 2013/01/04	REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	COPLANAR CONNECTOR GENERAL SALES DRAWING				
				mm	INCH	DRAWN BY	DATE	TITLE	DOCUMENT NO.						
				4 PLACES ± --- ± ---				CHECKED BY	DATE	molex					
				3 PLACES ± --- ± ---											
				2 PLACES ± 0.13 ± ---											
				1 PLACE ± 0.25 ± ---											
				0 PLACE ± --- ± ---											
				ANGULAR ±1/2°				APPROVED BY MBANAKIS		DATE 2010/11/17		SD-76291-001			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO.		DOCUMENT NO.		SHEET NO. 4 OF 4							
				SIZE C		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331