


LOC		DIST		REVISIONS						
GP		00		F	LTR	DESCRIPTION	DATE	DWN	APVD	
				A		RELEASE PER ECO-05-009687	20SEP2005	DRR	MY	
				B		REVISED PER ECO-05-015421	06DEC2005	DRR	LZ	
				B2		ECR-10-013906	12JUL10	D.S	S.Y	
				B3		ECR-11-013206	27JUN2011	D.P	C.W	

D

C

B


A



2.67±0.25
FOR 1.60 (.063") THK PCB

3.18±0.25
FOR 2.36 (.093") THK PCB

4.00±0.25
FOR 3.18 (.125") THK PCB





- 1 MATERIALS:**
- HOUSING: HIGH TEMPERATURE NYLON, BLACK, UL94 V-0
EXTRACTOR: HIGH TEMPERATURE THERMOPLASTIC
CONTACTS: COPPER ALLOY
RETENTION BARB: STAINLESS STEEL
- 2 INTERFACE FINISH:**
- (1) 0.00076 MIN THK GOLD OVER 0.00127 MIN THK NICKEL
(2) 0.00038 MIN THK GOLD OVER 0.00127 MIN THK NICKEL
(3) 0.00008 MIN THK GOLD OVER 0.00127 MIN THK NICKEL
- 3 FINISHED HOLE SIZE. 0.15 MAXIMUM ANNULAR RING.**
- 4 KEEP OUT ZONE.**
- 5 KEEP OUT AREA RESERVED FOR SOCKET EXTRACTORS, BOTH ENDS.**
- 6 SOLDER TAIL FINISH:**
0.00300 MIN THK BRIGHT TIN-LEAD OVER 0.00127 MIN THK NICKEL.
- 7 SOLDER TAIL FINISH:**
0.00300 MIN THK MATTE TIN OVER 0.00127 MIN THK NICKEL.
- 8 LED LOCATION AS APPLICABLE PER CUSTOMER.**
- 9 DATUM -G- IS CONNECTOR SIDE SURFACE OF PCB.**
- 10 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI**


	BLACK		0.00038 MIN	4.00	2-1761024-4
				3.18	2-1761024-3
	BLACK		0.00076 MIN	2.67	2-1761024-2
				4.00	2-1761024-1
				3.18	2-1761024-0
				2.67	1-1761024-9
SUPERCEDED BY 1-1761024-2				4.00	1-1761024-8
SUPERCEDED BY 1-1761024-1			0.00008 MIN	3.18	1-1761024-7
SUPERCEDED BY 1-1761024-0				2.67	1-1761024-6
SUPERCEDED BY 1-1761024-2				4.00	1-1761024-5
OBSOLETE	NATURAL		0.00038 MIN	3.18	1-1761024-4
				2.67	1-1761024-3
	NATURAL		0.00076 MIN	4.00	1-1761024-2
				3.18	1-1761024-1
SUPERCEDED BY 1-1761024-2				2.67	1-1761024-0
SUPERCEDED BY 1-1761024-1			0.00008 MIN	4.00	1761024-9
SUPERCEDED BY 1-1761024-0				3.18	1761024-8
SUPERCEDED BY 1-1761024-2				2.67	1761024-7
SUPERCEDED BY 1-1761024-1			0.00038 MIN	4.00	1761024-6
SUPERCEDED BY 1-1761024-0				3.18	1761024-5
SUPERCEDED BY 1-1761024-2				2.67	1761024-4
SUPERCEDED BY 1-1761024-1			0.00076 MIN	4.00	1761024-3
SUPERCEDED BY 1-1761024-0				3.18	1761024-2
				2.67	1761024-1
EXTRACTOR COLOR					
SOLDER TAIL					
CONTACT GOLD INTERFACE 2					
TAIL LENGTH					
PART NUMBER					

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Tyco Electronics	
mm		9 PLC ±.5 2 PLC ±0.13 5 PLC ±0.013 4 PLC ±0.0001		D. RINGLER 11FEB2004		Tyco Electronics Harrisburg, PA 17105-3608	
		FINISH		CAY M. CORRELL 18FEB2004		NAME	
MATERIAL		114-13154		M. YEOMANS 20SEP2005		PRODUCT SPEC	
		WEIGHT		108-2214		APPLICATION SPEC	
		CUSTOMER DRAWING		114-13154		SIZE CAGE CODE DRAWING NO	
				A1 00779		RESTRICTED TO	
				SCALE 4:1		SHEET 1 OF 3	
						REV B3	

LOC	DIST	REVISIONS					
GP	00	F	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT IN CONFIDENTIALITY AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.		DWN D. RINGLER	11FEB2004	Tyco Electronics Harrisburg, PA 17105-3608	
		CHK M. CORRELL	18FEB2004		
		APVD M. YEOMANS	20SEP2005	NAME	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
mm		0 PLC ±.5		108-2214	
		2 PLC ±0.13		APPLICATION SPEC	
		3 PLC ±0.013		114-13154	
		4 PLC ±0.0001		WEIGHT	
		ANGLES		114-13154	
		FINISH		CUSTOMER DRAWING	
MATERIAL				SCALE 4:1	
				SHEET 2 OF 3	
				REV B3	





**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331