

Drawers & Slides - Panel Mount (Two Pair of Panel Rails)











Path: [Home](#) > [Rack Index](#) > Drawers & Slides - Panel Mount









Rail Mounted Storage Drawer

- Standard 19" rack mount
- Plastic front pull handle
- Inside of drawer width is 16.375" wide
- Complete drawer with slides, hardware, lock & two keys
- Drawer shroud, 14 Ga. steel construction
- Weight load tested (RDRW1900322BK1) to 60 pounds (no rear support), (RDRW2400822BK1) to 120 pounds (with rear support).
- Available in 3 depths
- Rear support brackets included for all depths or can be supported from rear accessory rail
- Drawer interior smooth white powder paint for high visibility
- Front face finished in tough textured powder paint
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

















12" DEEP DRAWER

| Part Number | Front Face Color |  Reader File | AutoCAD .dxf File (zipped) | 3D Solid Model .stp files (zipped) | Drawer Height | | Slide Travel |
|--|-------------------------------|---|---|---|---------------|----|--------------|
| Inches | Units | | | | | | |
| RDRW1900312BK1 RDRW1900312CG1 RDRW1900312LG1 | Black Beige* Light Gray |  301K |  47K |  169K | 3.50" | 2U | 12" |
| RDRW1900512BK1 RDRW1900512CG1 RDRW1900512LG1 | Black Beige* Light Gray |  304K |  47K |  171K | 5.25" | 3U | 12" |
| RDRW1900712BK1 RDRW1900712CG1 RDRW1900712LG1 | Black Beige* Light Gray |  305K |  47K |  174K | 7.00" | 4U | 12" |

| | | | | | | | |
|----------------|------------|---|---|--|--------|----|-----|
| RDRW1900812BK1 | Black |  |  |  | 8.75" | 5U | 12" |
| RDRW1900812CG1 | Beige* | 305K | 47K | 173K | | | |
| RDRW1900812LG1 | Light Gray | | | | | | |
| RDRW1901212BK1 | Black |  |  |  | 12.25" | 7U | 12" |
| RDRW1901212CG1 | Beige* | 306K | 47K | 174K | | | |
| RDRW1901212LG1 | Light Gray | | | | | | |


***Note:** "CG2" (Beige color) is being phased out from stock - replaced with "LG2" a light gray (RAL7035)
















16" DEEP DRAWER

| Part Number | Front Face Color |  Reader File | AutoCAD .dxf File (zipped) | 3D Solid Model .stp files (zipped) | Drawer Height | Slide Travel | |
|----------------|------------------|---|---|---|---------------|--------------|-----|
| Inches | Units | | | | | | |
| RDRW1900316BK1 | Black |  |  |  | 3.50" | 2U | 16" |
| RDRW1900316CG1 | Beige* | 301K | 47K | 173K | | | |
| RDRW1900316LG1 | Light Gray | | | | | | |
| RDRW1900516BK1 | Black |  |  |  | 5.25" | 3U | 16" |
| RDRW1900516CG1 | Beige* | 308K | 47K | 176K | | | |
| RDRW1900516LG1 | Light Gray | | | | | | |
| RDRW1900716BK1 | Black |  |  |  | 7.00" | 4U | 16" |
| RDRW1900716CG1 | Beige* | 308K | 47K | 175K | | | |
| RDRW1900716LG1 | Light Gray | | | | | | |
| RDRW1900816BK1 | Black |  |  |  | 8.75" | 5U | 16" |
| RDRW1900816CG1 | Beige* | 307K | 47K | 175K | | | |
| RDRW1900816LG1 | Light Gray | | | | | | |
| RDRW1901216BK1 | Black |  |  |  | 12.25" | 7U | 16" |
| RDRW1901216CG1 | Beige* | 308K | 47K | 175K | | | |
| RDRW1901216LG1 | Light Gray | | | | | | |

***Note:** "CG2" (Beige color) is being phased out from stock - replaced with "LG2" a light gray (RAL7035)

22" DEEP DRAWER

| Part Number | Front Face Color |  Reader File | AutoCAD .dxf File (zipped) | 3D Solid Model .stp files (zipped) | Drawer Height | Slide Travel |
|----------------|------------------|---|----------------------------|------------------------------------|---------------|--------------|
| Inches | Units | | | | | |
| RDRW1900322BK1 | Black | | | | | |

| | | | | | | | |
|--|-------------------------------|---|--|---|--------|----|-----|
| RDRW1900322CG1 RDRW1900322LG1 | Beige* Light Gray |  302K |  47K |  173K | 3.50" | 2U | 22" |
| RDRW1900522BK1 RDRW1900522CG1 RDRW1900522LG1 | Black Beige* Light Gray |  309K |  47K |  178K | 5.25" | 3U | 22" |
| RDRW1900722BK1 RDRW1900722CG1 RDRW1900722LG1 | Black Beige* Light Gray |  309K |  47K |  177K | 7.00" | 4U | 22" |
| RDRW1900822BK1 RDRW1900822CG1 RDRW1900822LG1 | Black Beige* Light Gray |  308K |  47K |  176K | 8.75" | 5U | 22" |
| RDRW1901222BK1 RDRW1901222CG1 RDRW1901222LG1 | Black Beige* Light Gray |  486K |  47K |  180K | 12.25" | 7U | 22" |

***Note:** "CG2" (Beige color) is being phased out from stock - replaced with "LG2" a light gray (RAL7035)














Note2: Weight load tested (RDRW1900322BK1) to 60 pounds (no rear support), (RDRW2400822BK1) to 120 pounds (with rear support).






click to enlarge

Rail Mounted Equipment Slides


- Standard 19" rack mountable
- **Sold in pairs**
- Mounts to front & rear flange on both pairs of vertical panel rails (not included)
- Heavy duty - double rail, ball bearing type
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

| Part Number | Length | Capacity (Pair) | Slide Travel |  AutoCAD Reader File | AutoCAD .dxf File (zipped) | 3D Solid Model .stp files (zipped) |
|-------------|--------|-----------------|--------------|--|--|--|
| RSLIDE12 | 12" | 120 # | 12" |  183K |  68K |  68K |
| RSLIDE16 | 16" | 130 # | 16" |  144K |  75K |  78K |
| RSLIDE22 | 22" | 120 # | 22" |  138K |  74K |  78K |
| RSLIDE26 | 26" | 120 # | 26" |  162K |  58K |  69K |

| | | | | | | |
|-----------------|-----|-------|-----|--|---|---|
| RSLIDE28 | 28" | 120 # | 28" |  169K |  67K |  91K |
|-----------------|-----|-------|-----|--|---|---|



Assembly
Instructions



Drawing of Rail Mounting
(Click To Enlarge)

DOWNLOAD



[Shelves & Slides - catalog pages \(5\)](#) - Adobe Reader .pdf format (198K)

DOWNLOAD



[all accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

Mail Link To Our Catalog Department

Provide full mailing address here for your FREE CATALOG via snail mail...

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

Our Distributors

Order from your favorite distributor

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

Copyright; © 1998-2011 Hammond Mfg Co Inc
URL: <http://www.hammondmfg.com>



Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331