


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



| PANDUIT PART NUMBER | MIN. CABLE LENGTH | WEIGHT                         |
|---------------------|-------------------|--------------------------------|
| UTPKSP3**           | 3 FT.             | .095 LB/EACH<br>(43.1 g/EACH)  |
| UTPKSP5**           | 5 FT.             | .150 LB/EACH<br>(68.0 g/EACH)  |
| UTPKSP7**           | 7 FT.             | .205 LB/EACH<br>(93.0 g/EACH)  |
| UTPKSP10**          | 10 FT.            | .260 LB/EACH<br>(117.9 g/EACH) |
| UTPKSP14**          | 14 FT.            | .395 LB/EACH<br>(179.2 g/EACH) |
| UTPKSP1M**          | 1 METER           | .103 LB/EACH<br>(46.6 g/EACH)  |
| UTPKSP2M**          | 2 METERS          | .193 LB/EACH<br>(87.4 g/EACH)  |
| UTPKSP3M**          | 3 METERS          | .283 LB/EACH<br>(128.4 g/EACH) |
| UTPKSP5M**          | 5 METERS          | .460 LB/EACH<br>(209.0 g/EACH) |

\*\* P/N CODE FOR KEYED PLUG HOUSING COLOR, CABLE COLOR AND SPECIAL KEY CONFIGURATION. SEE SHEET 2 FOR DETAILS.

NOTES:

- SEE CURRENT CATALOG FOR VARIOUS APPLICATIONS AND TO INDICATE COLOR AND OR PACKAGE QUANTITY.
- SEE CATALOG FOR A COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PART.

T568B WIRING SCHEME

| PLUG POSITION: | CABLE WIRE:  |
|----------------|--------------|
| 1              | WHITE/ORANGE |
| 2              | ORANGE       |
| 3              | WHITE/GREEN  |
| 4              | BLUE         |
| 5              | WHITE/BLUE   |
| 6              | GREEN        |
| 7              | WHITE/BROWN  |
| 8              | BROWN        |

|   |  |                            |  |
|---|--|----------------------------|--|
| PART NUMBER   |  | UTPKSP****                 |  |
| TITLE   |  |                            |  |
|   |  | TX6 PLUS KEYED PATCH CORDS |  |
| CUSTOMER DRAWING  |  |                            |  |
| ITEM REVISION NAME  |  | M03011EP/00                |  |
| DATASET FILE NAME   |  | M03011EP_DC68/00B          |  |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) |  | MATERIAL:                  |  |
| .x ±  |  | .xxx ± .010 (.3)           |  |
| .xx ± .03 (.8)  |  | ANGLES ±                   |  |
| DRAWING NUMBER:   |  | 03011-68                   |  |
| DRAWN BY  |  | MDJr                       |  |
| DATE  |  | 12-10-08                   |  |
| CHK   |  | PBD                        |  |
| SCALE   |  | NONE                       |  |
| THIRD ANGLE PROJECTION  |  | SHT 1 OF 2                 |  |
| SIZE  |  | A                          |  |







| REV | DATE   | BY  | CHK | APR | DESCRIPTION                                       | ECN      |
|-----|--------|-----|-----|-----|---|----------|
| 1   | 4-4-14 | BJN | JSP | EJH | REVISED & REDRAWN PREVIOUS REVS REMVD FOR CLARITY | 03011-68 |


D10100DA/14

2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

|   |   |  |   |   |   |
|---|---|--|---|---|---|
| **PATCH CORD COLOR/KEY CODE   |   |  |   |   |   |
| A - BLACK   | B - RED   | C - GREEN  | D - YELLOW  | E - ORANGE  | F - BLUE  |
|  |  |  |  |  |  |
| BL  | RD  | GR   | YL  | OR  | BU  |

|   |                                  |                   |          |                                |
|---|----------------------------------|-------------------|----------|--------------------------------|
| PART NUMBER   |                                  | UTPKSP**          |          |                                |
| TITLE   |                                  |                   |          | TX6 PLUS UTP KEYED PATCH CORDS |
| CUSTOMER DRAWING  |                                  |                   |          |                                |
| ITEM REVISION NAME  |                                  | M03011EP/00       |          |                                |
| DATASET FILE NAME   |                                  | M03011EP_DC68/00B |          |                                |
| UNLESS OTHERWISE SPECIFIED,<br>DIMENSIONAL TOLERANCES ARE: IN (mm)                    |                                  | <b>PANDUIT</b>    |          |                                |
| .x ± .xxx ± .010 (.3)   |                                  |                   |          |                                |
| .xx ± .03 (.8) ANGLES ±   |                                  | MATERIAL:         |          |                                |
|  |                                  | DRAWING NUMBER:   |          |                                |
| THIRD ANGLE PROJECTION  |                                  | 03011-68          |          |                                |
| DRAWN BY  | DATE                             | CHK               | SCALE    |                                |
| MDJr  | 12-10-08                         | PBD               | NONE     |                                |
| REV   | DATE                             | BY                | CHK      |                                |
| 1   | 4-4-14                           | BJN               | JSP      |                                |
| APR   | DESCRIPTION                      |                   | ECN      |                                |
| EJH   | SEE SHEET 1 FOR REVISION HISTORY |                   | 03011-68 |                                |
| SHT 1 OF 1  |                                  | SIZE              |          |                                |
| A   |                                  | A                 |          |                                |

D10100DA/14

2

1



## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331