

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – .– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

| LOC | DIST |
|---|---|
| — | — |


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | D2 | SHEET 2 DRAFTING ERROR CORRECTION | 10NOV2011 | A.S | M.W |




SECTION A–A



NOTES:

1. DRAWING SHOWS CODING KEY 6–100525–3 WITH CODE NUMBER 3568 AS AN EXAMPLE. REINFORCED CODING KEYS ARE DESIGNED FOR THE 8 ROW CONNECTOR SYSTEM, BUT FIT THE 5 ROW CONNECTOR SYSTEM AS WELL.
2. DRAWING SHOWS CODING KEY 2–100525–4 WITH CODE NUMBER 1368 AS AN EXAMPLE.
3. MATERIAL: GLASSFILLED POLYAMIDE 6.6.;
   COLOUR: SEE TABLE.
4. EACH CODING KEY HAS FOUR BLOCKING PINS AND FOUR CAVITIES.
   THE NUMBERS ON TOP OF THE BLOCKING PINS FORM THE FOUR–FIGURE IDENTIFICATION NUMBER (ASCENDING).
5. PARTNUMBER MATCHING FEMALE CODING KEY, FOR REFERNCE ONLY.

6 1 INSERTION TOOL INCLUDED PER 500 CODING KEYS.

| | | | | |
|---|---|---|---|---|
| 6–100526–3 | PASTEL ORANGE | 2003 | 3568 (1) | 6–100525–3 |
| 6–100526–1 | STEEL BLUE | 5011 | 3478 | 6–100525–1 |
| 5–100526–9 | SLATE GREY | 7015 | 3467 | 5–100525–9 |
| 5–100526–6 | CADMIUM YELLOW | 1021 | 3456 | 5–100525–6 |
| 5–100526–4 | RESADA GREEN | 6011 | 2578 | 5–100525–4 |
| 3–100526–2 | BRILLIANT BLUE | 5007 | 1567 | 3–100525–2 |
| 100526–9 | STRAWBERRY RED | 3018 | 1248 | 100525–9 |
| 100526–3 | NUT BROWN | 8011 | 1236 | 100525–3 |
| FEMALE KEY (5) | COLOUR (3) | RAL NR. (3) | ID. NUMBER (4) | PARTNUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± –

MATERIAL –

FINISH –

DWN D.TRUREN 03–FEB–98
CHK D.TRUREN 03–FEB–98
APVD F.v. KONINGSBRUGGE –
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
Z–PACK 2mm HM
MALE CODING KEY
–

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–100525 | — |

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV D2


100525


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –.–.
© COPYRIGHT – By – ALL RIGHTS RESERVED.

| LOC | DIST |
|---|---|
| — | — |


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | – | SEE SHEET 1 | – | — | — |




SECTION A–A



| – | – | – | – | – |
|---|---|---|---|---|
| 6–100526–9 | OCHER YELLOW | 1024 | 4678 | 6–100525–9 |
| 6–100526–4 | RASPBERRY RED | 3027 | 3578 | 6–100525–4 |
| 5–100526–3 | OCEAN BLUE | 5020 | 2568 | 5–100525–3 |
| 5–100526–2 | EMERALD GREEN | 6001 | 2567 | 5–100525–2 |
| 4–100526–9 | YELLOW ORANGE | 2000 | 2467 | 4–100525–9 |
| 4–100526–8 | HEATHER VIOLET | 4003 | 2458 | 4–100525–8 |
| 4–100526–4 | COPPER BROWN | 8004 | 2368 | 4–100525–4 |
| 4–100526–3 | STONE GREY | 7030 | 2367 | 4–100525–3 |
| 3–100526–7 | PURPLE RED | 3004 | 2346 | 3–100525–7 |
| 3–100526–5 | SALMON PINK | 3022 | 1678 | 3–100525–5 |
| 3–100526–4 | RED LILAC | 4001 | 1578 | 3–100525–4 |
| 2–100526–7 | LIGHT IVORY | 1015 | 1457 | 2–100525–7 |
| 2–100526–6 | PASTEL GREEN | 6019 | 1456 | 2–100525–6 |
| 2–100526–4 | YELLOW GREEN | 6018 | 1368 △2 | 2–100525–4 |
| 2–100526–0 | BLUE LILAC | 4005 | 1356 | 2–100525–0 |
| 1–100526–8 | PIGEON BLUE | 5014 | 1347 | 1–100525–8 |
| 1–100526–4 | OLIVE YELLOW | 1020 | 1268 | 1–100525–4 |
| 1–100526–3 | CEMENT GREY | 7033 | 1267 | 1–100525–3 |
| 1–100526–2 | LIGHT GREEN | 6027 | 1258 | 1–100525–2 |
| 100526–8 | PURE ORANGE | 2004 | 1247 | 100525–8 |
| 100526–5 | ULTRAMARINE BLUE | 5002 | 1238 | 100525–5 |
| 100526–2 | GREEN BROWN | 8000 | 1235 | 100525–2 |
| FEMALE KEY △5 | COLOUR △3 | RAL NR. △3 | ID. NUMBER △4 | PARTNUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± –

MATERIAL –

FINISH –

DWN D.TRUREN 03–FEB–98
CHK D.TRUREN 03–FEB–98
APVD F.v. KONINGSBRUGGE –
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
Z–PACK 2mm HM
MALE CODING KEY
–

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–100525 | — |

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV D2

100525

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** sales@st-electron.ru

**Адрес:** 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331