
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
CE	16

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	6	SEE REVISION SHEET	02NOV09	KG	JB


1. MAXIMUM CONNECTOR INSERTION LOSS: 1.30 dB 38999 END (850nm)
   0.50 dB LC END (850nm)
2. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
3. RECEPTACLE CUT–OUT IS DESIGNED FOR REAR MOUNT.



MINI EB POSITION	LC LABEL	LC DUPLEX POSITION
A1	A1	B
B1	B1	A
A2	A2	B
B2	B2	A

FIBER PATH CHART

N (NORMAL)	11.00±2.00	11.00±2.00	1754976–5
N (NORMAL)	40.00±2.00	40.00±2.00	1754976–4
N (NORMAL)	34.00±2.00	34.00±2.00	1754976–3
A	50.00±2.00	52.00±2.00	1754976–2
N (NORMAL)	58.00±2.00	58.00±2.00	1754976–1
SHELL KEYING DESIGNATION	L2	L1	PART NUMBER



TRACE LABEL DETAIL
(NOT TO SCALE)

DESIGN APPROVED THIS PRINT IS
PRELIMINARY
TO FIRST PIECE APPROVAL
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –
FINISH –

DWN K. GLATFELTER 04OCT2004
CHK I. SHIPE 25OCT2004
APVD D. BAECHTLE 25OCT2004

Tyco Electronics Corporation
Harrisburg, Pa 17105–3608

NAME CABLE ASSEMBLY, FIBER OPTIC, 4 CHANNEL 62.5/125 MIL–C–38999 STYLE RECEPTACLE, SIZE 11, MINI EB, TO (4) LC

PRODUCT SPEC –
APPLICATION SPEC –
WEIGHT –

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1754976	–

CUSTOMER DRAWING

SCALE NTS SHEET 1 OF 2 REV 6

PRELIMINARY

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
CE	16

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

REVISION	DESCRIPTION OF CHANGES	DATE	APPROVAL
2	ADD DASH 3 AND 4 ASSEMBLIES. CHANGE FROM: BEND LIMITING BOOT TO: 50° ANGLED LC BOOT.	30NOV06	J. SHIPE
3	CHANGE PROTECTIVE CAP TO PROTECTIVE COVER W/TETHER. -	2FEB07	J. SHIPE
4	ADD DASH 5 ASSEMBLY. REVISE NOTE 1. REVISE TRACE LABEL DETAIL.	04MAR09	D.FENNELL
5	REPLACE GLAND NUT WITH END NUT. -	13MAY09	D.FENNELL
6	ADD LC DUPLEX CLIP. SHORTEN HEAT SHRINK TO COINCIDE WITH BOOT.	02NOV09	J.BARRY

DESIGN APPROVED THIS PRINT IS

PRELIMINARY

TO FIRST PIECE APPROVAL
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL -
FINISH -

DWN K. GLATFELTER 27NOV2006
CHK J. SHIPE 02JAN2007
APVD D. RAECHTLE 02JAN2007
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

Tyco Electronics
Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME
CABLE ASSEMBLY, FIBER OPTIC, 4 CHANNEL 62.5/125 MIL-C-38999 STYLE RECEPTACLE, SIZE 11, MINI EB, TO (4) LC

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1754976	-

CUSTOMER DRAWING | SCALE NTS | SHEET 2 OF 2 | REV 6

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331