





LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E6	REV PER ECR-12-013669	02AUG2012	AY	SZ




- 1 MATERIAL:
HOUSING - GLASS FILLED POLYESTER, COLOR BLACK
CONTACT - PHOSPHOR BRONZE
- 2 FINISH:
(SEE TABLE FOR GOLD PLATING) IN CONTACT AREA.
.000100 MIN MATTE TIN ON SOLDER POSTS. ALL OVER
.000050 MIN THK. NICKEL
- 3 AMP LOGO, TE PART NUMBER, DATE CODE AND CSA LOGO INK STAMPED WHITE (HOT STAMPED OR LAZER PRINTED) IN THE APPROXIMATE AREA SHOWN, EITHER SIDE PERMISSABLE WHEN HOUSING SIZE PERMITS
4. RECOMMENDED PCB FINISHED HOLE $\varnothing .040 \pm .003$
- 5 .000015 MIN
- 6 .000030 MIN
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JAWF/GRZYBOWSKI	30OCT2009	TE Connectivity	
DIMENSIONS: INCHES		CHK E.HOWARD	30OCT2009		
		APVD M.PERCHEK	30OCT2009	NAME CONNECTOR ASSEMBLY STANDARD EDGE II, .100 CENTERLINE	
		PRODUCT SPEC	108-9039		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	114-13018	SIZE A1	
0 PLC ±		ANGLES ±#2	FINISH	CAGE CODE DRAWING NO 00779C=5530843	
MATERIAL		WEIGHT	CUSTOMER DRAWING	RESTRICTED TO	
		SCALE 4:1	SHEET 1	OF 4	REV E7


D




C



B



A



SECTION A-A

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
AWF/GRZYBOWSKI

CHK
E.HOWARD

APVD
M.PERCHEK

PRODUCT SPEC
108-9039

APPLICATION SPEC
114-13018

WEIGHT
-

CUSTOMER DRAWING

DIMENSIONS:
INCHES

0 PLC $\pm$

1 PLC $\pm .005$

2 PLC $\pm$

3 PLC $\pm$

4 PLC $\pm$

ANGLES $\pm$

FINISH #2

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC $\pm$

1 PLC $\pm .005$

2 PLC $\pm$

3 PLC $\pm$

4 PLC $\pm$

ANGLES $\pm$

FINISH #2

DATE
30OCT2009

NAME
CONNECTIONS

SIZE
A1

CAGE CODE
00779

DRAWING NO.
C=5530843

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
4

REV
E7

TE Connectivity

CONNECTOR ASSEMBLY
STANDARD EDGE II,
.100 CENTERLINE

LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	

OBSOLETE	8-5530843-2
OBSOLETE	8-5530843-1
OBSOLETE	4-5530843-1
OBSOLETE	1-5530843-9
OBSOLETE	1-5530843-2
	PART NUMBER

E6				0.686	-	.500	.700	-	-	5	6	8-5530843-6
				1.286	.187	1.100	1.300	1.350	1.460	11	12	8-5530843-5
	19,20,21,22,23,24,27,28,31,32,35,36,39 40,43,44,45,46,47,48,51,52,55,56,59,60	-		3.186	.125	3.000	3.200	3.250	3.360	30	31	8-5530843-4
	3,4,5,6,19,20,21,22			1.286	.125	1.100	1.300	1.350	1.460	11	12	8-5530843-3
	-			.386	.125	.200	.400	.450	.560	2	3	7-5530843-7
	-			.686	.187	.500	.700	.750	.860	5	6	7-5530843-6
	-			.686	.125	.500	.700	.750	.860	5	6	7-5530843-5
	-			3.186	.125	3.000	3.200	3.250	3.360	30	31	7-5530843-0
	-			3.186	.125	3.000	3.200	3.250	3.360	30	31	6-5530843-5
OBSOLETE				6.086	.125	5.900	6.100	6.150	6.260	59	60	5-5530843-5
		-		2.086	.125	1.900	2.100	2.150	2.260	19	20	5-5530843-4
		-		1.786	.125	1.600	1.800	1.850	1.960	16	17	5-5530843-3
		-		1.086	.125	.900	1.100	1.150	1.260	9	10	5-5530843-0
		-		1.886	.125	1.700	1.900	1.950	2.060	17	18	2-5530843-7
		-		3.586	.125	3.400	3.600	3.650	3.760	34	35	2-5530843-3
		-		5.086	.187	4.900	5.100	5.150	5.260	49	50	2-5530843-2
		-		4.086	.187	3.900	4.100	4.150	4.260	39	40	2-5530843-0
		-		3.086	.187	2.900	3.100	3.150	3.260	29	30	1-5530843-8
		-		2.586	.187	2.400	2.600	2.650	2.760	24	25	1-5530843-6
		-		4.386	.125	4.200	4.400	4.450	4.560	42	43	1-5530843-0
		-		3.686	.125	3.500	3.700	3.750	3.860	35	36	5530843-8
		-		3.086	.125	2.900	3.100	3.150	3.260	29	30	5530843-7
		-		2.886	.125	2.700	2.900	2.950	3.060	27	28	5530843-6
		-		2.586	.125	2.400	2.600	2.650	2.760	24	25	5530843-5
		-		2.286	.125	2.100	2.300	2.350	2.460	21	22	5530843-4
		-		1.886	.125	1.700	1.900	1.950	2.060	17	18	5530843-3
		-		1.586	.125	1.400	1.600	1.650	1.760	14	15	5530843-2
		-		1.286	.125	1.100	1.300	1.350	1.460	11	12	5530843-1
	OMITTED PIN	BOARD RETENTION FEATURE LOCATION (SEE DETAIL Y)	FINISH	Z	J	D	C	B	A	X	NO. OF DUAL POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
AWF/GRZYBOWSKI

CHK
E.HOWARD

APVD
M.PERCHEK

30OCT2009

30OCT2009

DIMENSIONS:
INCHES

0 PLC ±
1 PLC ±.005
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES #2
FINISH

MATERIAL -

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

PRODUCT SPEC
108-9039
APPLICATION SPEC
114-13018

WEIGHT -

CUSTOMER DRAWING

NAME

CONNECTOR ASSEMBLY
STANDARD EDGE 11,
.100 CENTERLINE

SIZE
A1

CAGE CODE
00779

DRAWING NO
5530843

RESTRICTED TO
-

SCALE
4:1



SHEET
3

OF
4

REV
E7

TE Connectivity

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AWF/GRZYBOWSKI	30OCT2009	 TE Connectivity	
DIMENSIONS: INCHES		CHK E.HOWARD	-		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEK	30OCT2009	NAME CONNECTOR ASSEMBLY STANDARD EDGE II, .100 CENTERLINE	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		± ±.005 ± ± ± #2	PRODUCT SPEC 108-9039 APPLICATION SPEC 114-13018 WEIGHT -	SIZE A100779	
MATERIAL -		CUSTOMER DRAWING		RESTRICTED TO -	
SCALE 4:1		SHEET 4		OF 4	
REV E7					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331