



- NOTES: UNLESS OTHERWISE SPECIFIED;
1. ALL RESISTOR VALUES ARE IN OHMS, 1/10W, 5%
 2. ALL CAPACITORS ARE 50VDC OR HIGHER.
 3. THE ORIGATION SOURCE OF A VOLTAGE IS REPRESENTED BY (V_{CC}), AND ALL REFERENCES TO THAT VOLTAGE ARE REPRESENTED BY (V_{CC}).
- 4 OUTLINED CIRCUIT MAY NOT BE STUFFED DEPENDING ON MODEL, SEE STUFFING CHART FOR CLARIFICATION.
5. COMPONENT VALUES SHOWN WITH AN ASTERISK (*) FOLLOWING THE VALUE, MAY HAVE DIFFERENT VALUES, OR MAY NOT BE STUFFED DEPENDING ON MODEL. SEE STUFFING CHART FOR CLARIFICATION.



COPYRIGHT 2001, Z-WORLD, INC.

REVISION HISTORY			REVISION APPROVAL			
REV	ECO	DESCRIPTION	PROJECT ENGINEER	APPROVAL DATE	DOCUMENT CONTROL	APPROVAL DATE
A	E11217	INITIAL RELEASE, TRACKS A/W @ REV-A	DM	1/20/00	KIS	1/17/01
B	E11564	CHANGED PE7 TO OUTPUT INHIBIT	DM	28JUN01	KIS	7/17/01


TABLE A

REF DES	DEVICE	DEVICE VOLTAGE INFORMATION					DEVICE: FILTER CAP REF DES(s)
		AGND	GND	VCC	-5V	NO CONNECTS	
U1	74HC257		8	16			C1
U2	74HC257		8	16			C2
U3	74HC138		8	16			C3
U4	74HC08		7	14			C4
U5	74HC273		10	20			C5
U6	74HC273		10	20			C6

STUFFING TABLE

STUFFING TABLE				16 INPUT	8 INPUT	8 INPUT	
				8 OUTPUT	16 OUTPUT	8 OUTPUT	
				MODEL			
CIRCUIT				PART	SR9200	SR9210	SR9220
FPWR SELECT				JP1	ZERO ohm ACROSS PINS 2-3	ZERO ohm ACROSS PINS 2-3	ZERO ohm ACROSS PINS 2-3
BANK 0	INPUT LEVEL SELECT			JP2	ZERO ohm ACROSS PINS 1-2	ZERO ohm ACROSS PINS 1-2	ZERO ohm ACROSS PINS 1-2
	BANK 2	HIGH VOLTAGE SINKING DRIVERS	CURRENT DRIVER	R36-43 C28-35 D28-35 Q28-35	NOT INSTALLED	INSTALLED	NOT INSTALLED
DRIVER CHIP			U5 C5	NOT INSTALLED	INSTALLED	NOT INSTALLED	
DIGITAL INPUTS		INPUT CONDITIONING	R60-67 C44-51	INSTALLED	NOT INSTALLED	NOT INSTALLED	
		DRIVER CHIP	U2 C2	INSTALLED	NOT INSTALLED	NOT INSTALLED	
DIGITAL I/O LEVEL			JP3 1-2 R68-75	INSTALLED	NOT INSTALLED	NOT INSTALLED	
BANK 1	DIGITAL OUTPUT LEVEL			R28-35	NOT INSTALLED	NOT INSTALLED	NOT INSTALLED

APPEND THE FOLLOWING DOCUMENTS WHEN CHANGING THIS DOCUMENT:		DRAWING CONTENT:		TITLE SCHEMATIC DIAGRAM SR9200 SERIES DIGITAL I/O BOARD		 2900 SPAFFORD ST. DAVIS, CA 95616 530 - 757 - 4616	
		DRAWN BY: (INITIAL RELEASE)					
		RM	29JUL99				
		REVISED BY:					
		DM	26JUN01				
		APPROVALS: INITIAL RELEASE					
		PROJECT ENGINEER:		SIZE B		DWG NO. 090-0101	
		Darren Musgrove	7/20/01				
		ENGINEERING MANAGER:					
		R.Matthews	7/20/01				
		SIGNATURES	DATE	SCALE	NONE	RELEASE DATE	SHEET 1 OF 2





**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331