



FCIconnect.com

1 | 2

3 |

4

PRODUCT NUMBER

20020334-XXXXXXXLF

20020334-

PITCH
B: 2.54 mm

POLES

2: 2 POLES
3: 3 POLES
:
24: 24 POLES

SCREW CODE

CODE	SCREW TYPE	AVAILABILITY
A	-/+	ON REQUEST ONLY
B	-	STANDARD

LF: DENOTED ROHS COMPATIBLE

1 : STANDARD PRODUCT
W/ BOX PACKING

PROPERTY TABLE

PITCH (mm)	2.54
VOLTAGE RATING (VAC)	150
CURRENT RATING (A)	6
APPLICABLE WIRE RANGE (AWG)	SOLID 18~30 STRANDED 18~30
WIRE CROSS SECTION (mm ²)	0.34~2.5
WIRE STRIP LENGTH(mm)	4~5
TORQUE +/- 10% (N-m/Lb-in)	0.15/1.3
SCREW	M1.6
WITHSTANDING VOLTAGE (kV)	1.3
OPERATING TEMP. (°C)	-40~+115
SOLDERING TEMP. (°C)	250±10 / 5 sec
POLES AVAILABLE	02~24
SAFETY CERTIFICATE	

HOUSING CODE

CODE	COLOR	AVAILABILITY
1	GREEN(RAL 6018/T)	STANDARD
2	BLACK(RAL9005)	ON REQUEST ONLY
3	GREY(RAL7035/D)	ON REQUEST ONLY
4	BLUE(RAL 5015/A)	ON REQUEST ONLY

NOTES:

1.MATERIAL:

- 1-1 TOP HOUSING: THERMOPLASTIC UL94V-0 RATED.
- 1-2 SREW: STEEL ZINC PLATED
- 1-3 CLAMP: COPPER ALLOY, NICKEL PLATED
- 1-4 TERMINAL: COPPER ALLOY, TIN PLATED.:

- 2. PRODUCT SPECIFICATION REFER TO FCI GS-12-625.
- 3. PRODUCT PACKING SPECIFICATION REFER TO FCI GS-14-1394.

- 4. THE PRODUCTS WHERE THE PART NUMBER END IN "LF" MEET THE EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 5. RECOMMENDED SOLDERIN PROCESS BY WAVE SOLDER.

mat'l. code				surface ASME Y14.5	tolerance ASME Y14.5	projection 	product family TERMINAL BLOCK
ltr	ecn no	dr	date	tolerances unless otherwise specified			title
A	T10-0176	WL	110110	angles	X.±0.5	MM	TERMINAL BLOCK
B	T-012057	LS	082912	holes	X.X±0.3		FIXED RISING CLAMP, SIGNAL
C	T-012709	LS	083012	X'±1'	X.XX±0.1	scale	dwg no
D	T-012725	LS	083112	dr	WENDY CHEN 102210		sheet 1 of 2 size
				enrg	JASON HSU 102210		20020334 A4
				chr	JSAON HSU 102210		
				appd	JASON HSU 102210		type
sheet index	revision sheet	D	D				CUSTOMER Drawing
		1	2				

form: A4mmXLc

1 |

2 |

3 |

4








FCIconnect.com

1 | 2

3 |

4

PRODUCT NUMBER	PITCH
20020334-BXXXXXXLF	2.54 mm



P.C.B. LAYOUT

N = Number of poles

Dim A = $N \times 2.54[.100] + 0.4[.016]$ Dim B = $(N-1) \times 2.54[.100]$

	Dim A	Dim B
2-6p	$\pm 0.15[.006]$	$\pm 0.10[.004]$
7-12p	$\pm 0.20[.008]$	$\pm 0.20[.008]$
13-18p	$\pm 0.30[.012]$	$\pm 0.25[.010]$
19-24p	$\pm 0.40[.016]$	$\pm 0.30[.012]$

mat'l. code				surface ASME Y14.5 ✓	tolerance ASME Y14.5	projection MM	product family TERMINAL BLOCK			
ltr	ecn	no	dr	date				title		
d								TERMINAL BLOCK		
				angles	linear			FIXED RISING CLAMP, SIGNAL		
				dr	WENDY CHEN	102210		dwg no		
				enr	JASON HSU	102210		sheet 2 of		
				chr	JASON HSU	102210		20020334		
				appd	JASON HSU	102210		size		
								A4		
sheet	revision							type		
index	sheet							CUSTOMER Drawing		

form: A4mmXLc

1 |

2 |

3 |

4



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331