


## Discovery kit with STM32F303VC MCU



STM32F3DISCOVERY top view.  
Picture is not contractual.

Product status link

[STM32F3DISCOVERY](#)

### Features

- STM32F303VCT6 microcontroller featuring 256-Kbyte Flash memory and 48-Kbyte RAM in an LQFP100 package
- USB FS
- ST MEMS motion sensor, 3-axis digital output gyroscope
- ST MEMS system-in-package featuring a 3D digital linear acceleration sensor and a 3D digital magnetic sensor
- Ten LEDs:
  - LD1 (red) for 3.3 V power on
  - LD2 (red/green) for USB communication
  - Eight user LEDs: LD3/10 (red), LD4/9 (blue), LD5/8 (orange) and LD6/7 (green)
- 1 user and reset push-buttons
- Board connectors:
  - USB FS Mini-B connector
  - ST-LINK Mini-B USB connector
  - Extension header for all LQFP100 I/Os for quick connection to prototype board and easy probing
- Flexible power-supply options:
  - ST-LINK USB connector or USB FS connector
  - External 3 V or 5 V supply voltage
- On-board debugger/programmer ST-LINK/V2 for PCB version A or B, or ST-LINK/V2-B for PCB version C and newer:
  - Debug port
  - Mass storage and Virtual COM port with ST-LINK/V2-B only
- Support of a wide choice of Integrated Development Environments (IDEs) including IAR™, Keil®, and STM32CubeIDE

### Description

The **STM32F3DISCOVERY** allows users to easily develop applications with the STM32F3 Series mixed-signal microcontroller based on the Arm® Cortex®-M4. It includes everything required for beginners and experienced users to get started quickly.

Based on the STM32F303VCT6, it includes an ST-LINK/V2 or ST-LINK/V2-B embedded debug tool, accelerometer, gyroscope and e-compass ST MEMS, USB connection, LEDs and push-buttons.

## 1 Ordering information

To order the [STM32F3DISCOVERY](#) Discovery kit, refer to [Table 1](#). For a detailed description, refer to the user manual on the product web page. Additional information is available from the datasheet and reference manual of the target STM32.

**Table 1. List of available products**

Order code	Board reference	User manual	Target STM32	Differentiating feature
<a href="#">STM32F3DISCOVERY</a>	MB1035	<a href="#">UM1570</a>	<a href="#">STM32F303VCT6</a>	ST-LINK/V2 for PCB version A or B
				ST-LINK/V2-B for PCB version C and newer

### 1.1 Product marking

Evaluation tools marked as “ES” or “E” are not yet qualified and therefore not ready to be used as reference design or in production. Any consequences deriving from such usage will not be at ST charge. In no event, ST will be liable for any customer usage of these engineering sample tools as reference designs or in production.

“E” or “ES” marking examples of location:

- On the targeted STM32 that is soldered on the board (For an illustration of STM32 marking, refer to the STM32 datasheet “Package information” paragraph at the [www.st.com](http://www.st.com) website).
- Next to the evaluation tool ordering part number that is stuck or silk-screen printed on the board.

### 1.2 Codification

The meaning of the codification is explained in [Table 2](#).

**Table 2. Codification explanation**

STM32XXDISCOVERY	Description	Example: STM32F3DISCOVERY
STM32XX	MCU series in STM32 32-bit Arm Cortex MCUs	STM32F3 Series
DISCOVERY	Discovery kit	Discovery kit

The order code is mentioned on a sticker placed on the top or bottom side of the board.

## 2 Development environment

The **STM32F3DISCOVERY** runs with the **STM32F303VC** 32-bit microcontroller based on the Arm® Cortex®-M4 core.

*Note:* Arm is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.

**arm**

### 2.1 System requirements

- Windows® OS (7, 8 and 10), Linux® 64-bit, or macOS®
- USB Type-A to Mini-B cable

*Note:* macOS® is a trademark of Apple Inc. registered in the U.S. and other countries.

### 2.2 Development toolchains

- IAR™ - EWARM (see [note](#))
- Keil® - MDK-ARM (see [note](#))
- STMicroelectronics - STM32CubeIDE

*Note:* On Windows® only.

### 2.3 Demonstration software

The demonstration software, included in the STM32Cube MCU Package corresponding to the on-board microcontroller, is preloaded in the STM32 Flash memory for easy demonstration of the device peripherals in standalone mode. It uses the USER push-button to switch the operation of the eight LEDs into different modes from simple blinking mode, to indicate the gyroscope movements, or the direction of the North Pole. The latest versions of the demonstration source code and associated documentation can be downloaded from the [www.st.com/stm32f3discovery](http://www.st.com/stm32f3discovery) webpage.

## Revision history

**Table 3. Document revision history**

Date	Version	Changes
3-Sep-2012	1	Initial release.
11-Mar-2013	2	Modified title and added <i>Ordering information</i> . Added information on STM32F313xx MCUs in <i>Description</i> .
24-Oct-2014	3	Updated features list. Updated <i>Section : Development toolchains</i> .
19-Jul-2016	4	Updated <i>Features</i> list to introduce the information that boards come with ST-LINK/V2 or ST-LINK/V2-B.
29-Jan-2020	5	Removed power-supply limitation in <a href="#">Description</a> and reorganized the entire document: <ul style="list-style-type: none"> <li>Updated <a href="#">Features</a>, <a href="#">Ordering information</a>, <a href="#">System requirements</a>, <a href="#">Development toolchains</a> and <a href="#">Demonstration software</a></li> <li>Added <a href="#">Product marking</a> and <a href="#">Codification</a></li> </ul>

**IMPORTANT NOTICE – PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to [www.st.com/trademarks](http://www.st.com/trademarks). All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics – All rights reserved



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331