

Specification Sheet

USB3.0 Flash Drive
Handy Steno AH552



Table of Contents

1. Product Introduction.....3

2. Product Features.....3

3. Specification.....4

4. Physical Dimension.....4

5. Revision History.....5

1. Product Introduction

The brand new AH552 adopts the single chip USB3.0 controller, making it blazing fast and more compact than other USB 3.0 flash drives. Available in ultra-large storage capacities of 32GB and 64GB, AH552 boosts speed of up to 110MB/s in read and 70MB/s in write and shows outstanding quality with the sleek aluminum housing and pen cap design. AH552 provides easy storage of large high-definition audio and video data and documents. By transmitting 4GB high-definition movie in only 1 minute and sharing large amounts of data in a short span of time, the AH552 brings the properties of USB 3.0 to full display.

2. Features


- SuperSpeed USB3.0; backwards compatible with USB 2.0
- High specification Quad-Channel transmission
- Easy plug & play
- USB powered. No external power required.
- Sleek & sturdy aluminum casing and pen cap design
- Strap hole: Allow easy carry
- LED indicates the usage status
- RoHS compliant

3. Specifications

Specifications	
Interface	SuperSpeed USB 3.0; backwards compatible with USB 2.0
Device Interface Transfer Rate	USB 3.0 interface: up to 5Gbit/second USB 2.0 interface: up to 480Mbit/second
Performance	Up to 110MB/s read (*) Up to 70MB/s write (*)
Power supply	USB bus powered; No external power required
Operating voltage	4.5V-5.5V
Operating Systems Supported	Windows XP//Vista/7 and Linux Kernel 2.6.33 or above without device driver (support USB3.0) Mac OS 10.4 or later (support USB2.0)
Capacity	32GB-64GB
LED	LED flashing-USB detection, Data transmission
Operating Temperature	0° C to +60° C (32° F to 140° F)
Storage Temperature	-20° C to +60° C (-4° F to +140° F)
Dimensions	(L) 73.25 x (W) 19.75 x (H) 9.0 mm
Weight	13g
Certificate	CE, FCC, BSMI, C-Tick

* The transmission speed may vary due to host hardware, software & usage. Apacer reserves the right to make changes in specifications at any time without prior notice.

4. Physical Dimension



5. Revision History

Revision	History	Date	Remark
1.0	Official release	April 25,2011	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331